


































# LED PRODUCTS









Date: December 15 2016

No.	Code	Picture	Model	Description	Specification	UNIT PRICE FOB Ho Chi Minh City with Dien Quang Brand (USD)	UNIT PRICE with OEM (USD)	Packing	Carton dimension (m)			CBM
									L	W	H	
A	LED LIGHT											
I	LED BULB											
1	52024100		ĐQ LEDBU A50 03765	LED BULB Plastic BodyD Dien Quang (3w daylight)	Dimension 49.5 x 97, Color temperature: 6500K, Lumen≥75, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	0.84	0.87	12 pcs/ carton	0.258	0.196	0.140	0.007080
2	52024101		ĐQ LEDBU A50 03727	LED BULB Plastic BodyD Dien Quang (3w warmwhite)	Dimension 49.5 x 97, Color temperature: 2700K, Lumen≥75, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	0.84	0.87	12 pcs/ carton	0.258	0.196	0.140	0.007080
3	52024340		ĐQ LEDBU11A50 03765	LED BULB BU11 plastic body Dien Quang A50 3W daylight frosted cover		1.00	1.03	12 pcs/ carton	0.258	0.196	0.140	0.007080
4	52024341		ĐQ LEDBU11A50 03727	LED BULB BU11 plastic body Dien Quang A50 3W warmwhite, frosted cover		1.00	1.03	12 pcs/ carton	0.258	0.196	0.140	0.007080
5	52024369		ĐQ LEDBU11A50 03R	LED BULB BU11 plastic body Dien Quang A50 3W RED		1.03	1.06	12 pcs/ carton	0.258	0.196	0.140	0.007080
6	52024370		ĐQ LEDBU11A50 03G	LED BULB BU11 plastic body Dien Quang A50 3W GREEN		1.03	1.06	12 pcs/ carton	0.258	0.196	0.140	0.007080
7	52024371		ĐQ LEDBU11A50 03B	LED BULB BU11 plastic body Dien Quang A50 3W BLUE		1.03	1.06	12 pcs/ carton	0.258	0.196	0.140	0.007080
8	52024342		ĐQ LEDBU11A60 05765	LED BULB BU11 plastic body Dien Quang A60 5W Daylight, frosted cover		1.27	1.31	12 pcs/ carton	0.257	0.176	0.290	0.013117
9	52024343		ĐQ LEDBU11A60 05727	LED BULB BU11 plastic body Dien Quang A60 5W warmwhite, frosted cover		1.27	1.31	12 pcs/ carton	0.257	0.176	0.290	0.013117
10	52024372		ĐQ LEDBU11A60 05R	LED BULB BU11 plastic body Dien Quang A60 5W RED		1.30	1.34	12 pcs/ carton	0.257	0.176	0.290	0.013117
11	52024373		ĐQ LEDBU11A60 05G	LED BULB BU11 plastic body Dien Quang A60 5W GREEN		1.30	1.34	12 pcs/ carton	0.257	0.176	0.290	0.013117
12	52024374		ĐQ LEDBU11A60 05B	LED BULB BU11 plastic body Dien Quang A60 5W BLUE		1.30	1.34	12 pcs/ carton	0.257	0.176	0.290	0.013117
13	52024385		ĐQ LEDBU11A70 07765	LED BULB BU11 plastic body Dien Quang A70 07765 7W daylight, frosted cover		1.75	1.80	12 pcs/ carton	0.257	0.176	0.290	0.013117
14	52024386		ĐQ LEDBU11A70 07727	LED BULB BU11 plastic body Dien Quang A70 07727 7W warmwhite, frosted cover		1.75	1.80	12 pcs/ carton	0.257	0.176	0.290	0.013117
15	52024102		ĐQ LEDBU A55 05765	LED BULB Plastic BodyD Dien Quang (5w daylight)	Dimension 59.5 x 109, Color temperature: 6500K, Lumen≥75, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	1.09	1.12	12 pcs/ carton	0.310	0.235	0.144	0.010490
16	52024103		ĐQ LEDBU A55 05727	LED BULB Plastic Body Dien Quang (5w warmwhite)	Dimension 59.5 x 109, Color temperature: 2700K, Lumen≥75, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	1.09	1.12	12 pcs/ carton	0.310	0.235	0.144	0.010490
17	52024296		DQLEDBUA70 07765	LED BULB plastic body Dien Quang A70 7W day light-frosted cover		1.50	1.55	12 pcs/ carton	0.257	0.176	0.290	0.013117
18	52024297		DQLEDBUA70 07727	LED BULB plastic body Dien Quang A70 7W warmwhite - frosted cover		1.50	1.55	12 pcs/ carton	0.257	0.176	0.290	0.013117
19	52024299		ĐQ LEDBUA80 09765	LED BULB plastic body Dien Quang A80 9W Daylight frosted cover		1.77	1.82	12 pcs/ carton	0.257	0.176	0.290	0.013117
20	52024300		ĐQ LEDBUA80 097627	LED BULB plastic body Dien Quang A80 9W warmwhite frosted cover		1.77	1.82	12 pcs/ carton	0.257	0.176	0.290	0.013117
21	52024080		ĐQ LEDBU08 02765	Led Bulb Ceramic Body Dien Quang (2W daylight)	Dimension 71x45, Color temperature: 6500K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	1.52	1.57	24 pcs/ carton	0.198	0.151	0.176	0.005262
22	52024081		ĐQ LEDBU08 02727	Led Bulb Ceramic Body Dien Quang (2W warmwhite)	Dimension 71x45, Color temperature: 2700K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	1.52	1.57	24 pcs/ carton	0.198	0.151	0.176	0.005262
23	52024082		ĐQ LEDBU08 03765	Led Bulb Ceramic Body Dien Quang (3W daylight)	Dimension 71x45, Color temperature: 6500K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	1.74	1.79	24 pcs/ carton	0.198	0.151	0.176	0.005262
24	52024083		ĐQ LEDBU08 03727	Led Bulb Ceramic Body Dien Quang (3W warmwhite)	Dimension 71x45, Color temperature: 2700K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	1.74	1.79	24 pcs/ carton	0.198	0.151	0.176	0.005262
25	52024084		ĐQ LEDBU08 04765	Led Bulb Ceramic Body Dien Quang (4W daylight)	Dimension 77x51, Color temperature: 6500K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	1.90	1.96	24 pcs/ carton	0.210	0.185	0.095	0.003691
26	52024085		ĐQ LEDBU08 04727	Led Bulb Ceramic Body Dien Quang (4W warmwhite)	Dimension 77x51, Color temperature: 2700K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	1.90	1.96	24 pcs/ carton	0.210	0.185	0.095	0.003691
27	52024011		ĐQ LEDBUGL 03765	LED BULB GL Dien Quang (3w daylight)	Dimension φ60x110, Color temperature: 6500K, Lumen≥65, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	2.04	2.10	12pcs/ carton	0.270	0.205	0.133	0.007362
28	52024012		ĐQ LEDBUGL 03727	LED BULB GL Dien Quang (3w warmwhite)	Dimension φ60x110, Color temperature: 2700K, Lumen≥65, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	2.04	2.10	12pcs/ carton	0.270	0.205	0.133	0.007362
29	52024379		ĐQ LEDCD03 02727	LED Candle Điện Quang (2W warmwhite frosted cover)	N/A	1.39	1.43	20pcs/ carton	0.210	0.170	0.147	0.005248
30	52024380		ĐQ LEDCD03 02765	LED Candle Điện Quang (2W daylight frosted cover)	N/A	1.39	1.43	20pcs/ carton	0.210	0.170	0.147	0.005248
31	52024381		ĐQ LEDCD04 02727	LED candle Điện Quang (2W warmwhite frosted cover)	N/A	1.42	1.46	20pcs/ carton	0.210	0.170	0.147	0.005248
32	52024382		ĐQ LEDCD04 02765	LED Candle Điện Quang (2W daylight frosted cover)	N/A	1.42	1.46	20pcs/ carton	0.210	0.170	0.147	0.005248






No.	Code	Picture	Model	Description	Specification	UNIT PRICE FOB Ho Chi Minh City with Dien Quang Brand (USD)	UNIT PRICE with OEM (USD)	Packing	Carton dimension (m)			CBM
									L	W	H	
33	52024204		ĐQ LEDCDFL01 02727	LED CANDEL FL Dien Quang (2W, warmwhite, frosted cover)	Dimension Φ37* 131mm (Maximum diameter* maximum height), Color temperature: 2700K, Lumen>= 80 Lm/W, CRI>=80, Voltage: 220V/50Hz, lifetime: 10.000 hours, Operation temperature: -10oC + 50oC	2.76	2.84	20pcs/ carton	0.210	0.170	0.147	0.005248
34	52024205		ĐQ LEDCDFL02 02727	LED CANDEL FL Dien Quang (2W, warmwhite, clear cover)	Dimension Φ37* 131mm (Maximum diameter* maximum height), Color temperature: 2700K, Lumen>= 80 Lm/W, CRI>=80, Voltage: 220V/50Hz, lifetime: 10.000 hours, Operation temperature: -10oC + 50oC	2.59	2.67	20pcs/ carton	0.210	0.170	0.147	0.005248
35	52024086		ĐQ LEDBU04 05765	Led Bulb Plastic Body Dien Quang (5W daylight clear cover)	Dimension 130x70, Color temperature: 6500K, Lumen>=80, CRI>=80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	2.79	2.87	12 pcs/ carton	0.310	0.235	0.144	0.010490
36	52024087		ĐQ LEDBU04 05727	Led Bulb Plastic Body Dien Quang (5W warmwhite clear cover)	Dimension 130x70, Color temperature: 2700K, Lumen>=80, CRI>=80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	2.79	2.87	12 pcs/ carton	0.310	0.235	0.144	0.010490
37	52024088		ĐQ LEDBU05 05765	Led Bulb Plastic Body Dien Quang (5W daylight frosted cover)	Dimension 130x70, Color temperature: 6500K, Lumen>=80, CRI>=80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	2.82	2.90	12 pcs/ carton	0.310	0.235	0.144	0.010490
38	52024089		ĐQ LEDBU05 05727	Led Bulb Plastic Body Dien Quang (5W warmwhite frosted cover)	Dimension 130x70, Color temperature: 2700K, Lumen>=80, CRI>=80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	2.82	2.90	12 pcs/ carton	0.310	0.235	0.144	0.010490
39	52024324		ĐQ LEDBU09 12765	LED bulb plastic body Dien Quang (12W daylight)	N/A	2.41	2.48	12 pcs/ carton	0.334	0.254	0.162	0.013743
40	52024325		ĐQ LEDBU09 12727	LED bulb high plastic body Dien Quang (12W daylight)	N/A	2.41	2.48	12 pcs/ carton	0.334	0.254	0.162	0.013743
41	52024336		ĐQ LEDBU10 10765AW	Anti-wet LED bulb high W plastic body Dien Quang (10W daylight)	N/A	2.39	2.46	N/A	N/A	N/A	N/A	N/A
42	52024337		ĐQ LEDBU10 10727AW	Anti-wet LED bulb high W plastic body Dien Quang (10W warmwhite)	N/A	2.39	2.46	N/A	N/A	N/A	N/A	N/A
43	52024344		ĐQ LEDBU10 10740AW	Anti-wet LED bulb high W plastic body Dien Quang (10W coolwhite)	N/A	2.39	2.46	N/A	N/A	N/A	N/A	N/A
44	52024214		ĐQ LEDBU04 07765	Led Bulb Plastic Body Dien Quang (7W daylight clear cover)	Dimension 130x70, Color temperature: 6500K, Lumen>=80, CRI>=80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	3.18	3.28	12 pcs/ carton	0.310	0.235	0.144	0.010490
45	52024215		ĐQ LEDBU04 07727	Led Bulb Plastic Body Dien Quang (7W warmwhite clear cover)	Dimension 130x70, Color temperature: 2700K, Lumen>=80, CRI>=80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	3.18	3.28	12 pcs/ carton	0.310	0.235	0.144	0.010490
46	52024216		ĐQ LEDBU05 07765	Led Bulb Plastic Body Dien Quang (7W daylight frosted cover)	Dimension 130x70, Color temperature: 6500K, Lumen>=80, CRI>=80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	3.23	3.33	12 pcs/ carton	0.310	0.235	0.144	0.010490
47	52024217		ĐQ LEDBU05 07727	Led Bulb Plastic Body Dien Quang (7W warmwhite frosted cover)	Dimension 130x70, Color temperature: 2700K, Lumen>=80, CRI>=80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	3.23	3.33	12 pcs/ carton	0.310	0.235	0.144	0.010490
48	52024218		ĐQ LEDBU06 07765	Led Bulb Plastic Body Dien Quang (7W daylight clear and flat cover)	Dimension 106.5x 93, Color temperature: 6500K, Lumen>=80, CRI>=80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	3.20	3.30	12 pcs/ carton	0.310	0.235	0.144	0.010490
49	52024219		ĐQ LEDBU06 07727	Led Bulb Plastic Body Dien Quang (7W warmwhite clear and flat cover)	Dimension 106.5x 93, Color temperature: 2700K, Lumen>=80, CRI>=80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	3.20	3.30	12 pcs/ carton	0.310	0.235	0.144	0.010490
50	52024220		ĐQ LEDBU07 07765	Led Bulb Plastic Body Dien Quang (7W daylight frosted and flat cover)	Dimension 106.5x 93, Color temperature: 6500K, Lumen>=75, CRI>=80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	3.28	3.38	12 pcs/ carton	0.310	0.235	0.144	0.010490
51	52024221		ĐQ LEDBU07 07727	Led Bulb Plastic Body Dien Quang (7W warmwhite frosted and flat cover)	Dimension 106.5x 93, Color temperature: 2700K, Lumen>=75, CRI>=80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	3.28	3.38	12 pcs/ carton	0.310	0.235	0.144	0.010490
52	52024268		ĐQ LEDBU09 20765	LED bulb plastic body Dien Quang (20W Daylight)	Dimension 167x93x93mm, Color temperature: 6500K, Lumen=80 Lm/W, CRI>=80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	3.84	3.96	12 pcs/ carton	0.418	0.316	0.205	0.027078
53	52024269		ĐQ LEDBU09 20727	LED bulb plastic body Dien Quang (20W Warmwhite)	Dimension 167x93x93mm, Color temperature: 2700K, Lumen=80 Lm/W, CRI>=80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	3.84	3.96	12 pcs/ carton	0.418	0.316	0.205	0.027078
54	52024270		ĐQ LEDBU09 30765	LED bulb plastic body Dien Quang (30W Daylight)	Dimension 213x117x117mm, Color temperature: 6500K, Lumen=80 Lm/W, CRI>=80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	5.96	6.14	12 pcs/ carton	0.518	0.391	0.246	0.049824
55	52024271		ĐQ LEDBU09 30727	LED bulb plastic body Dien Quang (30W Warmwhite)	Dimension 213x117x117mm, Color temperature: 2700K, Lumen=80 Lm/W, CRI>=80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	5.96	6.14	12 pcs/ carton	0.518	0.391	0.246	0.049824
56	52024338		ĐQ LEDBU09 25765	LED bulb high W plastic body Dien Quang (25W daylight)	N/A	4.85	5.00	12 pcs/ carton	0.468	0.355	0.225	0.037382
57	52024339		ĐQ LEDBU09 25727	LED bulb high W plastic body Dien Quang (25W warmwhite)	N/A	4.85	5.00	12 pcs/ carton	0.468	0.355	0.225	0.037382
58	52024345		ĐQ LEDBU09 25740	LED bulb high W plastic body Dien Quang (25W coolwhite)	N/A	4.85	5.00	12 pcs/ carton	0.468	0.355	0.225	0.037382
59	52024001		ĐQ LEDBU01 05765	Led Bulb Aluminium Body Dien Quang (5W daylight)	Dimension 112 x 60, Color temperature: 6500K, Lumen= 80 lm/W, CRI>=80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	4.74	4.88	12 pcs/ carton	0.258	0.196	0.140	0.007080
60	52024002		ĐQ LEDBU01 05727	Led Bulb Aluminium Body Dien Quang (5W warmwhite)	Dimension 112 x 60, Color temperature: 2700K, Lumen= 80 lm/W, CRI>=80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	4.74	4.88	12 pcs/ carton	0.258	0.196	0.140	0.007080
61	52024003		ĐQ LEDBU02 05765	Led Bulb Aluminium Body Dien Quang (5W daylight)	Dimension 112 x 60, Color temperature: 6500K, Lumen= 80 lm/W, CRI>=80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	4.57	4.71	12 pcs/ carton	0.258	0.196	0.140	0.007080
62	52024004		ĐQ LEDBU02 05727	Led Bulb Aluminium Body Dien Quang (5W warmwhite)	Dimension 112 x 60, Color temperature: 2700K, Lumen= 80 lm/W, CRI>=80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	4.57	4.71	12 pcs/ carton	0.258	0.196	0.140	0.007080
63	52024005		ĐQ LEDBU03 05765	Led Bulb Aluminium Body Dien Quang (5W daylight)	Dimension 110 x 59, Color temperature: 6500K, Lumen= 80 lm/W, CRI>=80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	4.54	4.68	12 pcs/ carton	0.258	0.196	0.140	0.007080
64	52024006		ĐQ LEDBU03 05727	Led Bulb Aluminium Body Dien Quang (5W warmwhite)	Dimension 110 x 59, Color temperature: 2700K, Lumen= 80 lm/W, CRI>=80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	4.54	4.68	12 pcs/ carton	0.258	0.196	0.140	0.007080
65	52024007		ĐQ LEDBU01 07765	Led Bulb Aluminium Body Dien Quang (7W daylight)	Dimension 125 x 60, Color temperature: 6500K, Lumen= 80 lm/W, CRI>=80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	5.29	5.45	12 pcs/ carton	0.258	0.196	0.140	0.007080






No.	Code	Picture	Model	Description	Specification	UNIT PRICE FOB Ho Chi Minh City with Dien Quang Brand (USD)	UNIT PRICE with OEM (USD)	Packing	Carton dimension (m)			CBM
									L	W	H	
66	52024008		ĐQ LEDBU01 07727	Led Bulb Aluminium Body Dien Quang (7W warmwhite )	Dimension 125 x 60, Color temperature: 2700K, Lumen≥ 80 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	5.29	5.45	12 pcs/ carton	0.258	0.196	0.140	0.007080
67	5224201		ĐQ LEDBUFL01 04765	LED BULB FL Dien Quang (4W, daylight, frosted cover)	Dimension Φ60* 100mm (Maximum diameter* maximum height), Color temperature: 6500K, Lumen>= 80 Lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	4.48	4.61	12pcs/ carton	0.266	0.202	0.124	0.006663
68	5224202		ĐQ LEDBUFL01 04727	LED BULB FL Dien Quang (4W, warmwhite, frosted cover)	Dimension Φ60* 100mm (Maximum diameter* maximum height), Color temperature: 2700K, Lumen>= 80 Lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	4.48	4.61	12pcs/ carton	0.266	0.202	0.124	0.006663
69	5224203		ĐQ LEDBUFL02 04727	LED BULB FL Dien Quang (4W, warmwhite, clear cover)	Dimension Φ60* 100mm (Maximum diameter* maximum height), Color temperature: 2700K, Lumen>= 80 Lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	N/A	N/A	12pcs/ carton	0.266	0.202	0.124	0.006663
<b>II LED DOWNLIGHT</b>												
1	52024260		ĐQ LRD04 03765 90	LED downlight Dien Quang (3W daylight, 3.5 inch)	Dimension Φ110* 56mm (Maximum diameter* maximum height), Color temperature: 6500K, Lumen>= 70 Lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	1.34	1.38	12 pcs/carton	0.400	0.270	0.130	0.014040
2	52024261		ĐQ LRD04 03727 90	LED downlight Dien Quang (3W warmwhite, 3.5 inch)	Dimension Φ110* 56mm (Maximum diameter* maximum height), Color temperature: 2700K, Lumen>= 70 Lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	1.34	1.38	12 pcs/carton	0.400	0.270	0.130	0.014040
3	52024262		ĐQ LRD04 05765 90	LED downlight Dien Quang (5W daylight, 3.5 inch)	Dimension Φ110* 56mm (Maximum diameter* maximum height), Color temperature: 6500K, Lumen>= 70 Lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	1.44	1.48	12 pcs/carton	0.400	0.270	0.130	0.014040
4	52024263		ĐQ LRD04 05727 90	LED downlight Dien Quang (5W warmwhite, 3.5 inch)	Dimension Φ110* 56mm (Maximum diameter* maximum height), Color temperature: 2700K, Lumen>= 70 Lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	1.44	1.48	12 pcs/carton	0.400	0.270	0.130	0.014040
5	52024264		ĐQ LRD04 07765 115	LED downlight Dien Quang (7W daylight, 4.5 inch)	Dimension Φ142* 62mm (Maximum diameter* maximum height), Color temperature: 6500K, Lumen>= 70 Lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	2.02	2.08	12 pcs/carton	0.460	0.310	0.150	0.021390
6	52024265		ĐQ LRD04 07727 115	LED downlight Dien Quang (7W warmwhite, 4.5 inch)	Dimension Φ142* 62mm (Maximum diameter* maximum height), Color temperature: 2700K, Lumen>= 70 Lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	2.02	2.08	12 pcs/carton	0.460	0.310	0.150	0.021390
7	52024280		ĐQ LRD04 09765 115	LED downlight Dien Quang ( 9W daylight, 4.5 inch)	N/A	2.18	2.25	12 pcs/carton	0.467	0.315	0.153	0.022507
8	52024281		ĐQ LRD04 09727 115	LED downlight Dien Quang ( 9W warmwhite, 4.5 inch)	N/A	2.18	2.25	12 pcs/carton	0.467	0.315	0.153	0.022507
9	52024282		ĐQ LRD04 11765 115	LED downlight Dien Quang ( 11W daylight, 4.5 inch)	N/A	2.34	2.41	12 pcs/carton	0.467	0.315	0.153	0.022507
10	52024283		ĐQ LRD04 11727 115	LED downlight Dien Quang ( 11W warmwhite, 4.5 inch)	N/A	2.34	2.41	12 pcs/carton	0.467	0.315	0.153	0.022507
11	52024393		ĐQ LRD04 03740 90	LED downlight Dien Quang ( 3W coolwhite , 3.5 inch)	N/A	1.31	1.35	12 pcs/carton	0.400	0.270	0.130	0.014040
12	52024394		ĐQ LRD04 05740 90	LED downlight Dien Quang ( 5W coolwhite , 3.5 inch)	N/A	1.39	1.43	12 pcs/carton	0.400	0.270	0.130	0.014040
13	52024395		ĐQ LRD04 07740 115	LED downlight Dien Quang ( 7W coolwhite , 4.5 inch)	N/A	2.02	2.08	12 pcs/carton	0.460	0.310	0.150	0.021390
14	52024396		ĐQ LRD04 09740 115	LED downlight Dien Quang ( 9W coolwhite , 4.5 inch)	N/A	2.18	2.25	12 pcs/carton	0.467	0.315	0.153	0.022507
15	52024079		ĐQ LRD01 05765 90	Led Downlight ES Dien Quang (5W daylight 3.5 inch clear and flat cover)	Dimension 135 x 124, Color temperature: 6500K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	3.75	3.86	20pcs/carton	0.642	0.258	0.320	0.053004
16	52024094		ĐQ LRD01 05727 90	Led Downlight ES Dien Quang (5W warmwhite 3.5 inch clear and flat cover)	Dimension 135 x 124, Color temperature: 2700K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	3.75	3.86	20pcs/carton	0.642	0.258	0.320	0.053004
17	52024096		ĐQ LRD02 05765 90	Led Downlight ES Dien Quang (5W daylight 3.5 inch frosted and flat cover)	Dimension 135 x 124, Color temperature: 6500K, Lumen≥75, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	3.84	3.96	20pcs/carton	0.642	0.258	0.320	0.053004
18	52024097		ĐQ LRD02 05727 90	Led Downlight ES Dien Quang (5W warmwhite 3.5 inch frosted and flat cover)	Dimension 135 x 124, Color temperature: 2700K, Lumen≥75, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	3.84	3.96	20pcs/carton	0.642	0.258	0.320	0.053004
19	52024226		ĐQ LRD01 07765 90	Led Downlight ES Dien Quang (7W daylight 3.5 inch clear and flat cover)	Dimension 135 x 124, Color temperature: 6500K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	4.19	4.32	20pcs/carton	0.642	0.258	0.320	0.053004
20	52024227		ĐQ LRD01 07727 90	Led Downlight ES Dien Quang (7W warmwhite 3.5 inch clear and flat cover)	Dimension 135 x 124, Color temperature: 2700K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	4.19	4.32	20pcs/carton	0.642	0.258	0.320	0.053004
21	52024228		ĐQ LRD02 07765 90	Led Downlight ES Dien Quang (7W daylight 3.5 inch frosted and flat cover)	Dimension 135 x 124, Color temperature: 6500K, Lumen≥75, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	4.27	4.40	20pcs/carton	0.642	0.258	0.320	0.053004
22	52024229		ĐQ LRD02 07727 90 90	Led Downlight ES Dien Quang (7W warmwhite 3.5 inch frosted and flat cover)	Dimension 135 x 124, Color temperature: 2700K, Lumen≥75, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC + 50oC	4.27	4.40	20pcs/carton	0.642	0.258	0.320	0.053004
<b>III LED TUBE</b>												
1	52024451		ĐQ LEDTU06I 09765	LED tube Điện Quang (0.6m 9W daylight, glass body)	N/A	1.696	1.747	12 pcs/ carton	N/A	N/A	N/A	N/A
2	52024452		ĐQ LEDTU06I 09727	LED tube Điện Quang (0.6m 9W warmwhite, glass body)	N/A	1.696	1.747	12 pcs/ carton	N/A	N/A	N/A	N/A
3	52024453		ĐQ LEDTU06I 18765	LED tube Điện Quang (1.2m 18W daylight, glass body)	N/A	2.422	2.495	12 pcs/ carton	N/A	N/A	N/A	N/A
4	52024454		ĐQ LEDTU06I 18727	LED tube Điện Quang (1.2m 18W warmwhite, glass body)	N/A	2.422	2.495	12 pcs/ carton	N/A	N/A	N/A	N/A
5	52024412		ĐQ LEDTU05 09765	LED tube Điện Quang (0.6m 9W daylight Aluminum body, end cap rotary)	N/A	2.98	3.069	12 pcs/ carton	N/A	N/A	N/A	N/A
6	52024413		ĐQ LEDTU05 09727	LED tube Điện Quang (0.6m 9W warmwhite Aluminum body, end cap rotary)	N/A	2.98	3.069	12 pcs/ carton	N/A	N/A	N/A	N/A
7	52024416		ĐQ LEDTU05 09740	LED tube Điện Quang (0.6m 9W coolwhite Aluminum body, end cap rotary)	N/A	2.98	3.069	12 pcs/ carton	N/A	N/A	N/A	N/A

No.	Code	Picture	Model	Description	Specification	UNIT PRICE FOB Ho Chi Minh City with Dien Quang Brand (USD)	UNIT PRICE with OEM (USD)	Packing	Carton dimension (m)			CBM
									L	W	H	
8	52024193		ĐQ LEDTU04 09765	LED tube Dien Quang (0.6m 9W daylight 12V frosted plastic cover)	Dimension 588x26, Color temperature: 6500K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC ÷ 50oC	2.68	2.760	12 pcs/ carton	0.625	0.130	0.110	0.008938
9	52024194		ĐQ LEDTU04 09727	LED tube Dien Quang (0.6m 9W warmwhite 12V frosted plastic cover)	Dimension 588x26, Color temperature: 2700K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC ÷ 50oC	2.68	2.760	12 pcs/ carton	0.625	0.130	0.110	0.008938
10	52024407		DQ LED TU03 18765 EVN	LED tube Dien Quang (1.2m 18W daylight 12V frosted plastic cover, with separate driver)	N/A	4.69	4.831	12 pcs/ carton	1.245	0.130	0.110	0.017804
11	52024409		DQ LED TU03 18727 EVN	LED tube Dien Quang (1.2m 18W warmlight 12V frosted plastic cover, with separate driver)	N/A	4.69	4.831	12 pcs/ carton	1.245	0.130	0.110	0.017804
12	52024009		ĐQ LEDTU01 18765	LED tube Dien Quang (1.2m 18W daylight, aluminium body, clear cover)	Dimension 604x26.8, Color temperature: 6500K, Lumen≥80 lm/W , CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC ÷ 50oC	8.40	8.652	12 pcs/ carton	1.245	0.130	0.110	0.017804
13	52024010		ĐQ LEDTU01 09765	LED tube Dien Quang (0.6m 9W daylight, aluminium body, clear cover)	Dimension 1210x26.8, Color temperature: 6500K, Lumen≥80 lm/W , CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC ÷ 50oC	5.02	5.171	12 pcs/ carton	0.625	0.130	0.110	0.008938
14	52024013		ĐQ LEDTU02 18765	LED tube Dien Quang (1.2m 18W daylight, aluminium body, frosted cover)	Dimension 604x26.8, Color temperature: 6500K, Lumen≥80 lm/W , CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC ÷ 50oC	N/A	N/A	12 pcs/ carton	1.245	0.130	0.110	0.017804
15	52024014		ĐQ LEDTU02 09765	LED tube Dien Quang (0.6m 9W daylight, aluminium body, frosted cover)	Dimension 1210x26.8, Color temperature: 6500K, Lumen≥80 lm/W , CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC ÷ 50oC	N/A	N/A	12 pcs/ carton	1.245	0.130	0.110	0.017804
16	52024189		ĐQ LEDTU03 18765	LED tube Dien Quang (1.2m 18W daylight frosted plastic cover, with separate driver)	Dimension 1198x26, Color temperature: 6500K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC ÷ 50oC	5.12	5.274	12 pcs/ carton	1.245	0.130	0.110	0.017804
17	52024190		ĐQ LEDTU03 18727	LED tube Dien Quang (1.2m 18W warmwhite frosted plastic cover, with separate driver)	Dimension 1198x26, Color temperature: 2700K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC ÷ 50oC	5.12	5.274	12 pcs/ carton	1.245	0.130	0.110	0.017804
18	52024187		ĐQ LEDTU03 09765	LED tube Dien Quang (0.6m 9W daylight frosted plastic cover, with separate driver)	Dimension 588x26, Color temperature: 6500K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC ÷ 50oC	2.94	3.028	12 pcs/ carton	0.625	0.130	0.110	0.008938
19	52024188		ĐQ LEDTU03 09727	LED tube Dien Quang (0.6m 9W warmwhite frosted plastic cover, with separate driver)	Dimension 588x26, Color temperature: 2700K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC ÷ 50oC	2.94	3.028	12 pcs/ carton	0.625	0.130	0.110	0.008938
20	52024195		ĐQ LEDTU04 18765	LED tube Dien Quang (1.2m 18W daylight 12V frosted plastic cover)	Dimension 1198x26, Color temperature: 6500K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC ÷ 50oC	6.49	6.685	12 pcs/ carton	1.245	0.130	0.110	0.017804
21	52024196		ĐQ LEDTU04 18727	LED tube Dien Quang (1.2m 18W warmwhite 12V frosted plastic cover)	Dimension 1198x26, Color temperature: 2700K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC ÷ 50oC	6.49	6.685	12 pcs/ carton	1.245	0.130	0.110	0.017804
22	52024414		ĐQ LEDTU05 18765	LED tube Điện Quang (1.2m 18W daylight Aluminum body, end cap rotary)	N/A	4.73	4.872	12 pcs/ carton	1.260	0.150	0.120	0.022680
23	52024415		ĐQ LEDTU05 18727	LED tube Điện Quang (1.2m 18W warmwhite Aluminum body, end cap rotary)	N/A	4.73	4.872	12 pcs/ carton	1.260	0.150	0.120	0.022680
24	52024417		ĐQ LEDTU05 18740	LED tube Điện Quang (1.2m 18W coolwhite Aluminum body, end cap rotary)	N/A	4.73	4.872	12 pcs/ carton	1.260	0.150	0.120	0.022680
<b>IV LED FIXTURE</b>												
1	52024191		ĐQ LEDFX02 18765	Mini LED fixture Dien Quang (1.2m 18W daylight mini fixture, led tube frorest body )	Dimension 1230x39x58, Color temperature: 6500K, Lumen≥85, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC ÷ 50oC	5.87	6.046	12 pcs/ carton	1.235	0.125	0.125	0.019297
2	52024192		ĐQ LEDFX02 18727	Mini LED fixture Dien Quang (1.2m 18W warmwhite mini fixture, led tube frorest body )	Dimension 1230x39x58, Color temperature: 2700K, Lumen≥85, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC ÷ 50oC	5.87	6.046	12 pcs/ carton	1.235	0.125	0.125	0.019297
3	52024255		ĐQ LEDFX02 09765	Mini LED fixture Dien Quang (0.6m 9W daylight, mini fixture, led tube frorest body )	N/A	3.84	3.955	12 pcs/ carton	N/A	N/A	N/A	#VALUE!
4	52024256		ĐQ LEDFX02 09727	Mini LED fixture Dien Quang (0.6m 9W warmwhite, mini fixture, led tube frorest body )	N/A	3.84	3.955	12 pcs/ carton	N/A	N/A	N/A	#VALUE!
<b>V LED MICA FIXTURE</b>												
1	52024114		ĐQ LEDMF03 09765	LED Mica Dien Quang (0.3m 9W daylight)	Dimension 300x75x24, Color temperature: 6500K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC ÷ 50oC	3.50	3.61	20 pcs/ carton	0.360	0.325	0.150	0.017550
2	52024115		ĐQ LEDMF03 09727	LED Mica Dien Quang (0.3m 9W warmwhite)	Dimension 300x75x24, Color temperature: 2700K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC ÷ 50oC	3.50	3.61	20 pcs/ carton	0.360	0.325	0.150	0.017550
3	52024090		ĐQ LEDMF01 18765	LED Mica Dien Quang (0.6m 18W daylight)	Dimension 600x75x24, Color temperature: 6500K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC ÷ 50oC	5.17	5.33	20 pcs/ carton	0.620	0.360	0.150	0.033480
4	52024091		ĐQ LEDMF01 18727	LED Mica Dien Quang (0.6m 18W warmwhite)	Dimension 600x75x24, Color temperature: 2700K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC ÷ 50oC	5.17	5.33	20 pcs/ carton	0.620	0.360	0.150	0.033480
5	52024116		ĐQ LEDMF04 28765	LED Mica Dien Quang (0.9m 28W daylight)		7.95	8.19	20 pcs/ carton	0.925	0.360	0.150	0.049950
6	52024117		ĐQ LEDMF04 28727	LED Mica Dien Quang (0.9m 28W warmwhite)		7.95	8.19	20 pcs/ carton	0.925	0.360	0.150	0.049950
7	52024092		ĐQ LEDMF02 36765	LED Mica Dien Quang (1.2m 36W daylight)	Dimension 1200x75x24, Color temperature: 6500K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC ÷ 50oC	9.91	10.21	20 pcs/ carton	1.230	0.360	0.150	0.066420
8	52024093		ĐQ LEDMF02 36727	LED Mica Dien Quang (1.2m 36W warmwhite)	Dimension 1200x75x24, Color temperature: 2700K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC ÷ 50oC	9.91	10.21	20 pcs/ carton	1.230	0.360	0.150	0.066420
9	52024351		ĐQ LEDMF01 18727 IP65	LED Mica Dien Quang (0.6m 18W warmwhite IP65)	Dimension 600x75x24, Color temperature: 6500K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC ÷ 50oC	5.39	5.55	20 pcs/ carton	0.620	0.360	0.150	0.033480
10	52024352		ĐQ LEDMF01 18765 IP65	LED Mica Dien Quang (0.6m 18W Daylight IP65)	Dimension 600x75x24, Color temperature: 6500K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC ÷ 50oC	5.39	5.55	20 pcs/ carton	0.620	0.360	0.150	0.033480
11	52024353		ĐQ LEDMF02 36727 IP65	LED Mica Dien Quang (1.2m 36W warmwhite IP65)	Dimension 1305x53x56, Color temperature: 2700K, Lumen≥85, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC ÷ 50oC	10.37	10.68	20 pcs/ carton	1.230	0.360	0.150	0.066420
12	52024354		ĐQ LEDMF02 36735 IP65	LED Mica Dien Quang (1.2m 36W Daylight IP65)	Dimension 1305x53x56, Color temperature: 2700K, Lumen≥85, CRI≥80, Voltage: 220V/50Hz, lifetime: 30.000 hours, Operation temperature: -10oC ÷ 50oC	10.37	10.68	20 pcs/ carton	1.230	0.360	0.150	0.066420
	52024420		ĐQ LEDMF03 09765	LED Mica Điện Quang (0.3m 09W daylight, Integrated sources)	N/A	3.55	3.66	20 pcs/ carton	0.360	0.325	0.150	0.017550
	52024424		ĐQ LEDMF03 09727	LED Mica Điện Quang (0.3m 09W warmwhite, Integrated sources)	N/A	3.55	3.66	20 pcs/ carton	0.360	0.325	0.150	0.017550

No.	Code	Picture	Model	Description	Specification	UNIT PRICE FOB Ho Chi Minh City with Dien Quang Brand (USD)	UNIT PRICE with OEM (USD)	Packing	Carton dimension (m)			CBM
									L	W	H	
	52024428		ĐQ LEDMF03 09740	LED Mica Điện Quang (0.3m 09W coolwhite, Integrated sources)	N/A	3.55	3.66	20 pcs/ carton	0.360	0.325	0.150	0.017550
	52024308		ĐQ LEDMF01 18765	LED Mica Điện Quang (0.6m 18W daylight, Integrated sources)	N/A	5.03	5.18	20 pcs/ carton	0.620	0.360	0.150	0.033480
	52024422		ĐQ LEDMF01 18727	LED Mica Điện Quang (0.6m 18W warmwhite, Integrated sources)	N/A	5.03	5.18	20 pcs/ carton	0.620	0.360	0.150	0.033480
	52024426		ĐQ LEDMF01 18740	LED Mica Điện Quang (0.6m 18W coolwhite, Integrated sources)	N/A	5.00	5.15	20 pcs/ carton	0.620	0.360	0.150	0.033480
	52024421		ĐQ LEDMF04 28765	Bộ đèn LED Mica Điện Quang (0.9m 28W daylight, nguồn tích hợp)	N/A	7.14	7.36	20 pcs/ carton	0.925	0.360	0.150	0.049950
	52024425		ĐQ LEDMF04 28727	LED Mica Điện Quang (0.9m 28W warmwhite, Integrated sources)	N/A	7.14	7.36	20 pcs/ carton	0.925	0.360	0.150	0.049950
	52024429		ĐQ LEDMF04 28740	LED Mica Điện Quang (0.9m 28W coolwhite, Integrated sources)	N/A	7.14	7.36	20 pcs/ carton	0.925	0.360	0.150	0.049950
	52024419		ĐQ LEDMF02 36765	LED Mica Điện Quang (1.2m 36W daylight, Integrated sources)	N/A	8.96	9.22	20 pcs/ carton	1.230	0.360	0.150	0.066420
	52024423		ĐQ LEDMF02 36727	LED Mica Điện Quang (1.2m 36W warmwhite, Integrated sources)	N/A	8.96	9.23	20 pcs/ carton	1.230	0.360	0.150	0.066420
	52024427		ĐQ LEDMF02 36740	LED Mica Điện Quang (1.2m 36W coolwhite, Integrated sources)	N/A	8.96	9.23	20 pcs/ carton	1.230	0.360	0.150	0.066420
<b>VI LED DOUBLE WING</b>												
1	52022015		DQ LED DDW01 36765	LED doublewing 36W daylight		8.54	8.796	10 set3/carton	0.477	0.370	0.250	0.044123
2	52022016		DQ LED DDW01 36727	LED doublewing 36W warmwhite		8.54	8.796	10 set3/carton	0.477	0.370	0.250	0.044123
3	52022017		DQ LED DDW01 36740	LED doublewing 36W coolwhite		8.54	8.796	10 set3/carton	0.477	0.370	0.250	0.044123
4	52022018		DQ LED DDW01 24765	LED doublewing 24W daylight		7.45	7.674	10 set3/carton	0.477	0.370	0.250	0.044123
5	52022019		DQ LED DDW01 24727	LED doublewing 24W warmwhite		7.45	7.674	10 set3/carton	0.477	0.370	0.250	0.044123
6	52022020		DQ LED DDW01 24740	LED doublewing 24W coolwhite		7.45	7.674	10 set3/carton	0.477	0.370	0.250	0.044123
<b>VII LED PANEL</b>												
1	52024015		ĐQ LEDPN01 10765 300x300	LED Panel Dien Quang 300x300 (10W daylight)	Dimension 295 * 295 * 9 mm (Lenght*Width*Height), Color temperature: 6500K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	17.98	18.52	2pcs/ carton	0.500	0.360	0.080	0.014400
2	52024016		ĐQ LEDPN01 10727 300x300	LED Panel Dien Quang 300x300 (10W warmwhite)	Dimension 296 * 295 * 9 mm (Lenght*Width*Height), Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	17.98	18.52	2pcs/ carton	0.500	0.360	0.080	0.014400
3	52024017		ĐQ LEDPN01 12765 300x300	LED Panel Dien Quang 300x300 (12W daylight)	Dimension 297 * 295 * 9 mm (Lenght*Width*Height), Color temperature: 6500K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	12.84	13.23	2pcs/ carton	0.500	0.360	0.080	0.014400
4	52024018		ĐQ LEDPN01 12727 300x300	LED Panel Dien Quang 300x300 (12W warmwhite)	Dimension 298 * 295 * 9 mm (Lenght*Width*Height), Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	12.84	13.23	2pcs/ carton	0.500	0.360	0.080	0.014400
5	52024019		ĐQ LEDPN01 18765 300x300	LED Panel Dien Quang 300x300 (18W daylight)	Dimension 299 * 295 * 9 mm (Lenght*Width*Height), Color temperature: 6500K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	21.39	22.03	2pcs/ carton	0.500	0.360	0.080	0.014400
6	52024020		ĐQ LEDPN01 18727 300x300	LED Panel Dien Quang 300x300 (18W warmwhite)	Dimension 300 * 295 * 9 mm (Lenght*Width*Height), Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	21.39	22.03	2pcs/ carton	0.500	0.360	0.080	0.014400
7	52024029		ĐQ LEDPN01 36765 600x600	LED Panel Dien Quang 600x600 (36W daylight)	Dimension 595 * 595 * 9 mm (Lenght*Width*Height), Color temperature: 6500K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	29.58	30.47	2pcs/ carton	0.785	0.655	0.080	0.041134
8	52024030		ĐQ LEDPN01 36727 600x600	LED Panel Dien Quang 600x600 (36W warmwhite)	Dimension 596 * 595 * 9 mm (Lenght*Width*Height), Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	29.58	30.47	2pcs/ carton	0.785	0.655	0.080	0.041134
9	52024033		ĐQ LEDPN01 45765 600x600	LED Panel Dien Quang 600x600 (45W daylight)	Dimension 598 * 595 * 9 mm (Lenght*Width*Height), Color temperature: 6500K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	31.79	32.74	2pcs/ carton	0.785	0.655	0.080	0.041134
10	52024034		ĐQ LEDPN01 45727 600x600	LED Panel Dien Quang 600x600 (45W warmwhite)	Dimension 598 * 595 * 9 mm (Lenght*Width*Height), Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	31.79	32.74	2pcs/ carton	0.785	0.655	0.080	0.041134
11	52024039		ĐQ LEDPN01 54765 600x600	LED Panel Dien Quang 600x600 (54W daylight)	Dimension 599 * 595 * 9 mm (Lenght*Width*Height), Color temperature: 6500K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	39.42	40.60	2pcs/ carton	0.785	0.655	0.080	0.041134
12	52024040		ĐQ LEDPN01 54727 600x600	LED Panel Dien Quang 600x600 (54W warmwhite)	Dimension 600 * 595 * 9 mm (Lenght*Width*Height), Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	39.42	40.60	2pcs/ carton	0.785	0.655	0.080	0.041134
13	52024021		ĐQ LEDPN01 18765 300x600	LED Panel Dien Quang 300x600 (18W daylight)	Dimension 595 * 295 * 9 mm (Lenght*Width*Height), Color temperature: 6500K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	20.20	20.81	2pcs/ carton	0.655	0.500	0.080	0.026200
14	52024022		ĐQ LEDPN01 18727 300x600	LED Panel Dien Quang 300x600 (18W warmwhite)	Dimension 596 * 295 * 9 mm (Lenght*Width*Height), Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	20.20	20.81	2pcs/ carton	0.655	0.500	0.080	0.026200
15	52024025		ĐQ LEDPN01 24765 300x600	LED Panel Dien Quang 300x600 (24W daylight)	Dimension 599 * 295 * 9 mm (Lenght*Width*Height), Color temperature: 6500K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	24.55	25.29	2pcs/ carton	0.655	0.500	0.080	0.026200
16	52024026		ĐQ LEDPN01 24727 300x600	LED Panel Dien Quang 300x600 (24W warmwhite)	Dimension 600 * 295 * 9 mm (Lenght*Width*Height), Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	24.55	25.29	2pcs/ carton	0.655	0.500	0.080	0.026200
17	52024027		ĐQ LEDPN01 36765 300x1200	LED Panel Dien Quang 300x1200 (36W daylight)	Dimension 1195 * 295 * 9 mm (Lenght*Width*Height), Color temperature: 6500K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	N/A	N/A	2pcs/ carton	1.260	0.500	0.080	0.050400
18	52024028		ĐQ LEDPN01 36727 300x1200	LED Panel Dien Quang 300x1200 (36W warmwhite)	Dimension 1196 * 295 * 9 mm (Lenght*Width*Height), Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	N/A	N/A	2pcs/ carton	1.260	0.500	0.080	0.050400
19	52024031		ĐQ LEDPN01 45765 300x1200	LED Panel Dien Quang 300x1200 (45W daylight)	Dimension 1197 * 295 * 9 mm (Lenght*Width*Height), Color temperature: 6500K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	35.54	36.61	2pcs/ carton	1.260	0.500	0.080	0.050400
20	52024032		ĐQ LEDPN01 45727 300x1200	LED Panel Dien Quang 300x1200 (45W warmwhite)	Dimension 1198 * 295 * 9 mm (Lenght*Width*Height), Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	35.54	36.61	2pcs/ carton	1.260	0.500	0.080	0.050400
21	52024037		ĐQ LEDPN01 54765 300x1200	LED Panel Dien Quang 300x1200 (54W daylight)	Dimension 1199 * 295 * 9 mm (Lenght*Width*Height), Color temperature: 6500K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	N/A	N/A	2pcs/ carton	1.260	0.500	0.080	0.050400

No.	Code	Picture	Model	Description	Specification	UNIT PRICE FOB Ho Chi Minh City with Dien Quang Brand (USD)	UNIT PRICE with OEM (USD)	Packing	Carton dimension (m)			CBM
									L	W	H	
22	52024038		ĐQ LEDPN01 54727 300x1200	LED Panel Dien Quang 300x1200 (54W warmwhite)	Dimension 1200 * 295 * 9 mm (Lenght*Width*Height), Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	N/A	N/A	2pcs/ carton	1.260	0.500	0.080	0.050400
23	52024035		ĐQ LEDPN01 45765 600x1200	LED Panel Dien Quang 600x1200 (45W daylight)	Dimension 1195 * 595 * 9 mm (Lenght*Width*Height), Color temperature: 6500K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	68.74	70.80	2pcs/ carton	1.260	0.800	0.080	0.080640
24	52024036		ĐQ LEDPN01 45727 600x1200	LED Panel Dien Quang 600x1200 (45W warmwhite)	Dimension 1196 * 595 * 9 mm (Lenght*Width*Height), Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	68.74	70.80	2pcs/ carton	1.260	0.800	0.080	0.080640
25	52024041		ĐQ LEDPN01 54765 600x1200	LED Panel Dien Quang 600x1200 (54W daylight)		79.67	82.06	2pcs/ carton	1.260	0.800	0.080	0.080640
26	52024042		ĐQ LEDPN01 54727 600x1200	LED Panel Dien Quang 600x1200 (54W warmwhite)		79.67	82.06	2pcs/ carton	1.260	0.800	0.080	0.080640
27	52024043		ĐQ LEDPN01 72765 600x1200	LED Panel Dien Quang 600x1200 (72W daylight)	Dimension 1199 * 595 * 9 mm (Lenght*Width*Height), Color temperature: 6500K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	N/A	N/A	2pcs/ carton	1.260	0.800	0.080	0.080640
28	52024044		ĐQ LEDPN01 72727 600x1200	LED Panel Dien Quang 600x1200 (72W warmwhite)	Dimension 1200 * 595 * 9 mm (Lenght*Width*Height), Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	N/A	N/A	2pcs/ carton	1.260	0.800	0.080	0.080640
37	52024067		ĐQ LEDPN05 06765 120	LED Panel Dien Quang (06W daylight 120x120)	Dimension 120 x 120 x 20, Color temperature: 6500K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	5.80	5.97	2pcs/ carton	0.120	0.120	0.080	0.001152
38	52024068		ĐQ LEDPN05 06727 120	LED Panel Dien Quang (06W warmwhite 120x120)	Dimension 120 x 120 x 20, Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	5.80	5.97	2pcs/ carton	0.120	0.120	0.080	0.001152
39	52024071		ĐQ LEDPN05 12765 165	LED Panel Dien Quang (12W daylight 165x165)	Dimension 165 x 165 x 20, Color temperature: 6500K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	15.34	15.80	2pcs/ carton	0.165	0.165	0.080	0.002178
40	52024072		ĐQ LEDPN05 12727 165	LED Panel Dien Quang (12W warmwhite 165x165)	Dimension 165 x 165 x 20, Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	15.34	15.80	2pcs/ carton	0.165	0.165	0.080	0.002178
41	52024075		ĐQ LEDPN05 16765 215	LED Panel Dien Quang (16W daylight 215x215)	Dimension 215 x 215 x 20, Color temperature: 6500K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	20.20	20.81	2pcs/ carton	0.215	0.215	0.080	0.003698
42	52024076		ĐQ LEDPN05 16727 215	LED Panel Dien Quang (16W warmwhite 215x215)	Dimension 215 x 215 x 20, Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	20.20	20.81	2pcs/ carton	0.215	0.215	0.080	0.003698
43	52024077		ĐQ LEDPN05 18765 240	LED Panel Dien Quang (18W daylight 240x240)	Dimension 240 x 240 x 20, Color temperature: 6500K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	21.83	22.48	2pcs/ carton	0.240	0.240	0.080	0.004608
44	52024078		ĐQ LEDPN05 18727 240	LED Panel Dien Quang (18W warmwhite 240x240)	Dimension 240 x 240 x 20, Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	21.83	22.48	2pcs/ carton	0.240	0.240	0.080	0.004608
45	52024230		ĐQ LEDPN07 06765 120	LED Panel Dien Quang (06W daylight 120x120)	Dimension 120 x 120 x 20, Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	7.32	7.54	2pcs/ carton	N/A	N/A	N/A	N/A
46	52024231		ĐQ LEDPN07 06727 120	LED Panel Dien Quang (06W warmwhite 120x120)	Dimension 120 x 120 x 20, Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	7.32	7.54	2pcs/ carton	N/A	N/A	N/A	N/A
47	52024232		ĐQ LEDPN07 12765 180	LED Panel Dien Quang (12W daylight 180x180)	Dimension 180 x 180 x 20, Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	12.02	12.38	2pcs/ carton	N/A	N/A	N/A	N/A
48	52024233		ĐQ LEDPN07 12727 180	LED Panel Dien Quang (12W warmwhite 180x180)	Dimension 180 x 180 x 20, Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	12.02	12.38	2pcs/ carton	N/A	N/A	N/A	N/A
49	52024234		ĐQ LEDPN07 18765 225	LED Panel Dien Quang (18W daylight 180x180)	Dimension 225 x 225 x 20, Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	16.82	17.32	2pcs/ carton	N/A	N/A	N/A	N/A
50	52024235		ĐQ LEDPN07 18727 225	LED Panel Dien Quang (18W warmwhite 180x180)	Dimension 225 x 225 x 20, Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	16.82	17.32	2pcs/ carton	N/A	N/A	N/A	N/A
51	52024047		ĐQ LEDPN04 06765 120	LED Panel circular Dien Quang (6W daylight F120)	Dimension Ø120 x 20, Color temperature: 6500K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	3.52	3.63	2pcs/ carton	0.120	0.120	0.080	0.001152
52	52024048		ĐQ LEDPN04 06727 120	LED Panel circular Dien Quang (6W warmwhite F120)	Dimension Ø120 x 20, Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	3.52	3.63	2pcs/ carton	0.120	0.120	0.080	0.001152
53	52024236		ĐQ LEDPN04 09765 146	LED Panel circular Dien Quang (9W daylight F146)	Dimension Ø146 x 20, Color temperature: 6500K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	4.54	4.68	2pcs/ carton	0.146	0.146	0.080	0.001705
54	52024237		ĐQ LEDPN04 09727 146	LED Panel circular Dien Quang (9W warmwhite F146)	Dimension Ø146 x 20, Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	4.54	4.68	2pcs/ carton	0.146	0.146	0.080	0.001705
55	25024238		ĐQ LEDPN04 12765 170	LED Panel circular Dien Quang (12W daylight F170)	#N/A	N/A	N/A	2pcs/ carton	0.180	0.180	0.080	0.002592
56	25024239		ĐQ LEDPN04 12727 170	LED Panel circular Dien Quang (12W warmwhite F170)	#N/A	N/A	N/A	2pcs/ carton	0.180	0.180	0.080	0.002592
57	52024240		ĐQ LEDPN04 15765 200	LED Panel circular Dien Quang (15W daylight F200)	Dimension Ø200 x 20, Color temperature: 6500K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	6.69	6.89	2pcs/ carton	0.220	0.220	0.080	0.003872
58	52024241		ĐQ LEDPN04 15727 200	LED Panel circular Dien Quang (15W warmwhite F200)	Dimension Ø200 x 20, Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	6.69	6.89	2pcs/ carton	0.220	0.220	0.080	0.003872
59	52024242		ĐQ LEDPN04 18765 225	LED Panel circular Dien Quang (18W daylight F225)	Dimension Ø225 x 20, Color temperature: 6500K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	7.37	7.59	2pcs/ carton	0.240	0.240	0.080	0.004608
60	52024243		ĐQ LEDPN04 18727 225	LED Panel circular Dien Quang (18W warmwhite F225)	Dimension Ø225 x 20, Color temperature: 2700K, Lumen≥ 70 lm/W, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	7.37	7.59	2pcs/ carton	0.240	0.240	0.080	0.004608

No.	Code	Picture	Model	Description	Specification	UNIT PRICE FOB Ho Chi Minh City with Dien Quang Brand (USD)	UNIT PRICE with OEM (USD)	Packing	Carton dimension (m)			CBM
									L	W	H	
<b>VIII CEILING LED</b>												
9	52024253		ĐQ LEDCL10 10765SMLP	Ceiling LED 10W, Daylight, D300mm, control by sensor through movement and lighting level	N/A	8.51	8.77	6pcs/ carton	N/A	N/A	N/A	#VALUE!
10	52024254		ĐQ LEDCL10 10727SMLP	Ceiling LED 10W, Warmwhite, D300mm, control by sensor through movement and lighting level	N/A	8.51	8.77	6pcs/ carton	N/A	N/A	N/A	#VALUE!
11	52024276		ĐQ LEDCL08 10765	Ceiling LED 10W, Daylight D255mm	N/A	6.02	6.20	6pcs/ carton	N/A	N/A	N/A	#VALUE!
12	52024277		ĐQ LEDCL08 10727	Ceiling LED 10W, Daylight D255mm	N/A	6.02	6.20	6pcs/ carton	N/A	N/A	N/A	#VALUE!
13	52024278		ĐQ LEDCL09 15765	Ceiling LED 15W, Daylight D345mm	N/A	8.39	8.64	6pcs/ carton	N/A	N/A	N/A	#VALUE!
14	52024279		ĐQ LEDCL09 15727	Ceiling LED 15W, warmwhite D345mm	N/A	8.39	8.64	6pcs/ carton	N/A	N/A	N/A	#VALUE!
<b>IX LED HIGH BAY</b>												
1	62024001		ĐQ LEDHB01 150765	Led High Bay Dien Quang 150W Daylight	Dimension 155x500, Color temperature: 6500K, Lumen≥85, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	377.33	388.65	1pcs/ carton	N/A	N/A	N/A	#VALUE!
2	62024002		ĐQ LEDHB01 200765	Led High Bay Dien Quang 200W Daylight	Dimension 155x500, Color temperature: 6500K, Lumen≥85, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	425.33	438.09	1pcs/ carton	N/A	N/A	N/A	#VALUE!
3	62024004		ĐQ LEDHB02 30765	Led High Bay Dien Quang 30W daylight	Dimension 347x415, Color temperature: 5000K, Lumen≥60, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	93.17	95.97	1pcs/ carton	N/A	N/A	N/A	#VALUE!
4	62024005		ĐQ LEDHB02 30727	Led High Bay Dien Quang 30W warmwhite	Dimension 347x415, Color temperature: 3000K, Lumen≥60, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	93.17	95.97	1pcs/ carton	N/A	N/A	N/A	#VALUE!
5	62024006		ĐQ LEDHB02 50765	Led High Bay Dien Quang 50W daylight	Dimension 367x415, Color temperature: 5000K, Lumen≥60, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	134.20	138.23	1pcs/ carton	N/A	N/A	N/A	#VALUE!
6	62024007		ĐQ LEDHB02 50727	Led High Bay Dien Quang 50W warmwhite	Dimension 367x415, Color temperature: 3000K, Lumen≥60, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	134.20	138.23	1pcs/ carton	N/A	N/A	N/A	#VALUE!
7	62024008		ĐQ LEDHB02 80765	Led High Bay Dien Quang 80W daylight	Dimension 387x415, Color temperature: 5000K, Lumen≥60, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	216.26	222.75	1pcs/ carton	N/A	N/A	N/A	#VALUE!
8	62024009		ĐQ LEDHB02 80727	Led High Bay Dien Quang 80W warmwhite	Dimension 387x415, Color temperature: 3000K, Lumen≥60, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	216.26	222.75	1pcs/ carton	N/A	N/A	N/A	#VALUE!
9	62024010		ĐQ LEDHB02 100765	Led High Bay Dien Quang 100W daylight	Dimension 459x493, Color temperature: 5000K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	243.61	250.92	1pcs/ carton	N/A	N/A	N/A	#VALUE!
10	62024011		ĐQ LEDHB02 100727	Led High Bay Dien Quang 100W warmwhite	Dimension 459x493, Color temperature: 2700K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	243.61	250.92	1pcs/ carton	N/A	N/A	N/A	#VALUE!
11	62024012		ĐQ LEDHB02 120765	Led High Bay Dien Quang 120W daylight	Dimension 437x415, Color temperature: 5000K, Lumen≥75, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	249.08	256.55	1pcs/ carton	N/A	N/A	N/A	#VALUE!
12	62024013		ĐQ LEDHB02 120727	Led High Bay Dien Quang 120W warmwhite	Dimension 437x415, Color temperature: 3000K, Lumen≥75, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	249.08	256.55	1pcs/ carton	N/A	N/A	N/A	#VALUE!
13	62024014		ĐQ LEDHB03 60765	Led High Bay Dien Quang 60W daylight	Dimension 434x493, Color temperature: 5000K, Lumen≥75, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	246.34	253.73	1pcs/ carton	N/A	N/A	N/A	#VALUE!
14	62024015		ĐQ LEDHB03 60727	Led High Bay Dien Quang 60W warmwhite	Dimension 434x493, Color temperature: 2700K, Lumen≥75, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	246.34	253.73	1pcs/ carton	N/A	N/A	N/A	#VALUE!
15	62024016		ĐQ LEDHB03 100765	Led High Bay Dien Quang 100W daylight	Dimension 459x493, Color temperature: 5000K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	448.75	462.21	1pcs/ carton	N/A	N/A	N/A	#VALUE!
16	62024017		ĐQ LEDHB03 100727	Led High Bay Dien Quang 100W warmwhite	Dimension 459x493, Color temperature: 2700K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	448.75	462.21	1pcs/ carton	N/A	N/A	N/A	#VALUE!
17	62024018		ĐQ LEDHB03 150765	Led High Bay Dien Quang 150W daylight	Dimension 459x493, Color temperature: 5000K, Lumen≥70, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	491.15	505.88	1pcs/ carton	N/A	N/A	N/A	#VALUE!
18	62024019		ĐQ LEDHB03 150727	Led High Bay Dien Quang 150W warmwhite	Dimension 459x493, Color temperature: 2700K, Lumen≥70, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	491.15	505.88	1pcs/ carton	N/A	N/A	N/A	#VALUE!
19	62024020		ĐQ LEDHB03 200765	Led High Bay Dien Quang 200W daylight	Dimension 539x493, Color temperature: 5000K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	793.39	817.19	1pcs/ carton	N/A	N/A	N/A	#VALUE!
20	62024021		ĐQ LEDHB03 200727	Led High Bay Dien Quang 200 warmwhite	Dimension 539x493, Color temperature: 2700K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	793.39	817.19	1pcs/ carton	N/A	N/A	N/A	#VALUE!
21	62024022		ĐQ LEDHB04 50765	Led High Bay Dien Quang 50W daylight	Dimension 475x325, Color temperature: 5000K, Lumen≥75, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	132.83	136.81	1pcs/ carton	N/A	N/A	N/A	#VALUE!
22	62024023		ĐQ LEDHB04 50727	Led High Bay Dien Quang 50W warmwhite	Dimension 475x325, Color temperature: 2700K, Lumen≥75, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	132.83	136.81	1pcs/ carton	N/A	N/A	N/A	#VALUE!
23	62024024		ĐQ LEDHB04 100765	Led High Bay Dien Quang 100W daylight	Dimension 475x325, Color temperature: 5000K, Lumen≥50, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	213.52	219.93	1pcs/ carton	N/A	N/A	N/A	#VALUE!
24	62024025	ĐQ LEDHB04 100727	Led High Bay Dien Quang 100W warmwhite	Dimension 475x325, Color temperature: 2700K, Lumen≥50, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	213.52	219.93	1pcs/ carton	N/A	N/A	N/A	#VALUE!	
<b>X BASE GROUND LED</b>												
1	52024139		ĐQ LEDBG01 3R 15F100	Base ground LED Dien Quang 3W, Red, F100, 15°, IP65	Dimension 60x100, Color temperature: 2,700 – 5,000 K, Lumen≥71, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	16.38	16.87	N/A	N/A	N/A	N/A	N/A
2	52024140		ĐQ LEDBG01 3R 30F100	Base ground LED Dien Quang 3W, Red, F100, 30°, IP65	Dimension 60x100, Color temperature: 2,700 – 5,000 K, Lumen≥72, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	16.38	16.87	N/A	N/A	N/A	N/A	N/A
3	52024141		ĐQ LEDBG01 3R 60F100	Base ground LED Dien Quang 3W, Red, F100, 60°, IP65	Dimension 60x100, Color temperature: 2,700 – 5,000 K, Lumen≥73, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	16.38	16.87	N/A	N/A	N/A	N/A	N/A
4	52024142		ĐQ LEDBG01 3R 120F100	Base ground LED Dien Quang 3W, Red, F100, 120°, IP65	Dimension 60x100, Color temperature: 2,700 – 5,000 K, Lumen≥74, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	16.38	16.87	N/A	N/A	N/A	N/A	N/A
5	52024143		ĐQ LEDBG01 3G 15F100	Base ground LED Dien Quang 3W, Green, F100, 15°, IP65	Dimension 60x100, Color temperature: 2,700 – 5,000 K, Lumen≥75, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	16.38	16.87	N/A	N/A	N/A	N/A	N/A
6	52024144		ĐQ LEDBG01 3G 30F100	Base ground LED Dien Quang 3W, Green, F100, 30°, IP65	Dimension 60x100, Color temperature: 2,700 – 5,000 K, Lumen≥76, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	16.38	16.87	N/A	N/A	N/A	N/A	N/A
7	52024145		ĐQ LEDBG01 3G 60F100	Base ground LED Dien Quang 3W, Green, F100, 60°, IP65	Dimension 60x100, Color temperature: 2,700 – 5,000 K, Lumen≥77, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	16.38	16.87	N/A	N/A	N/A	N/A	N/A
8	52024146		ĐQ LEDBG01 3G 120F100	Base ground LED Dien Quang 3W, Green, F100, 120°, IP65	Dimension 60x100, Color temperature: 2,700 – 5,000 K, Lumen≥78, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	16.38	16.87	N/A	N/A	N/A	N/A	N/A
9	52024147		ĐQ LEDBG01 3B 15F100	Base ground LED Dien Quang 3W, Blue, F100, 15°, IP65	Dimension 60x100, Color temperature: 2,700 – 5,000 K, Lumen≥79, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	16.38	16.87	N/A	N/A	N/A	N/A	N/A
10	52024148		ĐQ LEDBG01 3B 30F100	Base ground LED Dien Quang 3W, Blue, F100, 30°, IP65	Dimension 60x100, Color temperature: 2,700 – 5,000 K, Lumen≥80, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	16.38	16.87	N/A	N/A	N/A	N/A	N/A
11	52024149		ĐQ LEDBG01 3B 60F100	Base ground LED Dien Quang 3W, Blue, F100, 60°, IP65	Dimension 60x100, Color temperature: 2,700 – 5,000 K, Lumen≥81, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	16.38	16.87	N/A	N/A	N/A	N/A	N/A
12	52024150		ĐQ LEDBG01 3B 120F100	Base ground LED Dien Quang 3W, Blue, F100, 120°, IP65	Dimension 60x100, Color temperature: 2,700 – 5,000 K, Lumen≥82, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	16.38	16.87	N/A	N/A	N/A	N/A	N/A

No.	Code	Picture	Model	Description	Specification	UNIT PRICE FOB Ho Chi Minh City with Dien Quang Brand (USD)	UNIT PRICE with OEM (USD)	Packing	Carton dimension (m)			CBM
									L	W	H	
13	52024151		ĐQ LEDBG01 3Y 15F100	Base ground LED Dien Quang 3W, Yellow, F100, 15°, IP65	Dimension 60x100, Color temperature: 2,700 - 5,000 K, Lumen≥83, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	16.38	16.87	N/A	N/A	N/A	N/A	N/A
14	52024152		ĐQ LEDBG01 3Y 30F100	Base ground LED Dien Quang 3W, Yellow, F100, 30°, IP65	Dimension 60x100, Color temperature: 2,700 - 5,000 K, Lumen≥84, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	16.38	16.87	N/A	N/A	N/A	N/A	N/A
15	52024153		ĐQ LEDBG01 3Y 60F100	Base ground LED Dien Quang 3W, Yellow, F100, 60°, IP65	Dimension 60x100, Color temperature: 2,700 - 5,000 K, Lumen≥85, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	16.38	16.87	N/A	N/A	N/A	N/A	N/A
16	52024154		ĐQ LEDBG01 3Y 120F100	Base ground LED Dien Quang 3W, Yellow, F100, 120°, IP65	Dimension 60x100, Color temperature: 2,700 - 5,000 K, Lumen≥86, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	16.38	16.87	N/A	N/A	N/A	N/A	N/A
17	52024155		ĐQ LEDBG01 3W 15F100	Base ground LED Dien Quang 3W, White, F100, 15°, IP65	Dimension 60x100, Color temperature: 2,700 - 5,000 K, Lumen≥87, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	16.38	16.87	N/A	N/A	N/A	N/A	N/A
18	52024156		ĐQ LEDBG01 3W 30F100	Base ground LED Dien Quang 3W, White, F100, 30°, IP65	Dimension 60x100, Color temperature: 2,700 - 5,000 K, Lumen≥88, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	16.38	16.87	N/A	N/A	N/A	N/A	N/A
19	52024157		ĐQ LEDBG01 3W 60F100	Base ground LED Dien Quang 3W, White, F100, 60°, IP65	Dimension 60x100, Color temperature: 2,700 - 5,000 K, Lumen≥89, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	16.38	16.87	N/A	N/A	N/A	N/A	N/A
20	52024158		ĐQ LEDBG01 3W 120F100	Base ground LED Dien Quang 3W, White, F100, 120°, IP65	Dimension 60x100, Color temperature: 2,700 - 5,000 K, Lumen≥90, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	16.38	16.87	N/A	N/A	N/A	N/A	N/A
21	52024159		ĐQ LEDBG02 6R 15F150	Base ground LED Dien Quang 6W, Red, F150, 15°, IP65	Dimension 60x150, Color temperature: 2,700 - 5,000 K, Lumen≥91, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	22.24	22.91	N/A	N/A	N/A	N/A	N/A
22	52024160		ĐQ LEDBG02 6R 30F150	Base ground LED Dien Quang 6W, Red, F150, 30°, IP65	Dimension 60x150, Color temperature: 2,700 - 5,000 K, Lumen≥92, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	22.24	22.91	N/A	N/A	N/A	N/A	N/A
23	52024161		ĐQ LEDBG02 6R 60F150	Base ground LED Dien Quang 6W, Red, F150, 60°, IP65	Dimension 60x150, Color temperature: 2,700 - 5,000 K, Lumen≥93, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	22.24	22.91	N/A	N/A	N/A	N/A	N/A
24	52024162		ĐQ LEDBG02 6R 120F150	Base ground LED Dien Quang 6W, Red, F150, 120°, IP65	Dimension 60x150, Color temperature: 2,700 - 5,000 K, Lumen≥94, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	22.24	22.91	N/A	N/A	N/A	N/A	N/A
25	52024163		ĐQ LEDBG02 6G 15F150	Base ground LED Dien Quang 6W, Green, F150, 15°, IP65	Dimension 60x150, Color temperature: 2,700 - 5,000 K, Lumen≥95, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	22.24	22.91	N/A	N/A	N/A	N/A	N/A
26	52024164		ĐQ LEDBG02 6G 30F150	Base ground LED Dien Quang 6W, Green, F150, 30°, IP65	Dimension 60x150, Color temperature: 2,700 - 5,000 K, Lumen≥96, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	22.24	22.91	N/A	N/A	N/A	N/A	N/A
27	52024165	ĐQ LEDBG02 6G 60F150	Base ground LED Dien Quang 6W, Green, F150, 60°, IP65	Dimension 60x150, Color temperature: 2,700 - 5,000 K, Lumen≥97, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	22.24	22.91	N/A	N/A	N/A	N/A	N/A	
28	52024166	ĐQ LEDBG02 6G 120F150	Base ground LED Dien Quang 6W, Green, F150, 120°, IP65	Dimension 60x150, Color temperature: 2,700 - 5,000 K, Lumen≥98, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	22.24	22.91	N/A	N/A	N/A	N/A	N/A	
29	52024167		ĐQ LEDBG02 6B 15F150	Base ground LED Dien Quang 6W, Blue, F150, 15°, IP65	Dimension 60x150, Color temperature: 2,700 - 5,000 K, Lumen≥99, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	22.24	22.91	N/A	N/A	N/A	N/A	N/A
30	52024168		ĐQ LEDBG02 6B 30F150	Base ground LED Dien Quang 6W, Blue, F150, 30°, IP65	Dimension 60x150, Color temperature: 2,700 - 5,000 K, Lumen≥100, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	22.24	22.91	N/A	N/A	N/A	N/A	N/A
31	52024169		ĐQ LEDBG02 6B 60F150	Base ground LED Dien Quang 6W, Blue, F150, 60°, IP65	#N/A	22.24	22.91	N/A	N/A	N/A	N/A	N/A
32	52024170		ĐQ LEDBG02 6B 120F150	Base ground LED Dien Quang 6W, Blue, F150, 120°, IP65	#N/A	22.24	22.91	N/A	N/A	N/A	N/A	N/A
33	52024171		ĐQ LEDBG02 6Y 15F150	Base ground LED Dien Quang 6W, Yellow, F150, 15°, IP65	Dimension 60x150, Color temperature: 2,700 - 5,000 K, Lumen≥103, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	22.24	22.91	N/A	N/A	N/A	N/A	N/A
34	52024172		ĐQ LEDBG02 6Y 30F150	Base ground LED Dien Quang 6W, Yellow, F150, 30°, IP65	Dimension 60x150, Color temperature: 2,700 - 5,000 K, Lumen≥104, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	22.24	22.91	N/A	N/A	N/A	N/A	N/A
35	52024173		ĐQ LEDBG02 6Y 60F150	Base ground LED Dien Quang 6W, Yellow, F150, 60°, IP65	Dimension 60x150, Color temperature: 2,700 - 5,000 K, Lumen≥105, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	22.24	22.91	N/A	N/A	N/A	N/A	N/A
36	52024174		ĐQ LEDBG02 6Y 120F150	Base ground LED Dien Quang 6W, Yellow, F150, 120°, IP65	Dimension 60x150, Color temperature: 2,700 - 5,000 K, Lumen≥106, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	22.24	22.91	N/A	N/A	N/A	N/A	N/A
37	52024175		ĐQ LEDBG02 6W 15F150	Base ground LED Dien Quang 6W, White, F150, 15°, IP65	Dimension 60x150, Color temperature: 2,700 - 5,000 K, Lumen≥107, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	22.24	22.91	N/A	N/A	N/A	N/A	N/A
38	52024176		ĐQ LEDBG02 6W 30F150	Base ground LED Dien Quang 6W, White, F150, 30°, IP65	Dimension 60x150, Color temperature: 2,700 - 5,000 K, Lumen≥108, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	22.24	22.91	N/A	N/A	N/A	N/A	N/A
39	52024177		ĐQ LEDBG02 6W 60F150	Base ground LED Dien Quang 6W, White, F150, 60°, IP65	Dimension 60x150, Color temperature: 2,700 - 5,000 K, Lumen≥109, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	22.24	22.91	N/A	N/A	N/A	N/A	N/A
40	52024178		ĐQ LEDBG02 6W 120F150	Base ground LED Dien Quang 6W, White, F150, 120°, IP65	Dimension 60x150, Color temperature: 2,700 - 5,000 K, Lumen≥110, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	22.24	22.91	N/A	N/A	N/A	N/A	N/A
<b>XI TUNNEL LED</b>												
1	52024130		ĐQ LEDTN01 50765	Tunnel LED Dien Quang 50W daylight IP65	Dimension 492 x 282 x 218, Color temperature: 6500K, Lumen≥ 85 lm/W, CRI≥ 70, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	374.90	386.15	1pcs/ carton	N/A	N/A	N/A	N/A
2	52024131		ĐQ LEDTN01 85765	Tunnel LED Dien Quang 85W daylight IP65	Dimension 492 x 282 x 233, Color temperature: 6500K, Lumen≥ 85 lm/W, CRI≥ 70, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	466.53	480.53	1pcs/ carton	N/A	N/A	N/A	N/A
3	52024132		ĐQ LEDTN02 70765	Tunnel LED Dien Quang 70W daylight IP65	Dimension 351 x 321 x 304, Color temperature: 6500K, Lumen≥ 85 lm/W, CRI≥ 70, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	205.32	211.48	1pcs/ carton	N/A	N/A	N/A	N/A
4	52024133		ĐQ LEDTN02 100765	Tunnel LED Dien Quang 100W daylight IP65	Dimension 472 x 325 x 304, Color temperature: 6500K, Lumen≥ 85 lm/W, CRI≥ 70, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	270.96	279.09	1pcs/ carton	N/A	N/A	N/A	N/A
5	52024134		ĐQ LEDTN02 150765	Tunnel LED Dien Quang 150W daylight IP65	Dimension 594 x 325 x 304, Color temperature: 6500K, Lumen≥ 85 lm/W, CRI≥ 70, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	301.05	310.08	1pcs/ carton	N/A	N/A	N/A	N/A
<b>XII FLASH LED</b>												
1	52024135		ĐQ LEDFL01 10765	Flash LED Dien Quang 10W daylight IP65	Dimension 115x85, Color temperature: 6500K, Lumen≥70, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	6.17	6.36	1pcs/ carton	N/A	N/A	N/A	N/A
2	52024136		ĐQ LEDFL01 20765	Flash LED Dien Quang 20W daylight IP65	Dimension 180x140, Color temperature: 6500K, Lumen≥70, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	14.58	15.02	1pcs/ carton	N/A	N/A	N/A	N/A
3	52024137		ĐQ LEDFL01 30765	Flash LED Dien Quang 30W daylight IP65	Dimension 225x185, Color temperature: 6500K, Lumen≥70, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	16.35	16.84	1pcs/ carton	N/A	N/A	N/A	N/A
4	52024138		ĐQ LEDFL01 50765	Flash LED Dien Quang 50W daylight IP65	Dimension 290x240, Color temperature: 6500K, Lumen≥70, CRI≥80, Voltage: 220V/50Hz, lifetime: 30,000 hours, Operation temperature: -10oC + 50oC	28.73	29.59	1pcs/ carton	N/A	N/A	N/A	N/A



No.	Code	Picture	Model	Description	Specification	UNIT PRICE	UNIT PRICE	Packing	Carton dimension (m)			CBM
						FOB Ho Chi Minh City with Dien Quang Brand (USD)	with OEM (USD)		L	W	H	
5	52024292		ĐQ LEDFL02 100765	Flash LED Dien Quang 100 W daylight IP65	N/A	55.51	57.18	1pcs/ carton	N/A	N/A	N/A	N/A
6	52024290		ĐQ LEDFL04 150765	Flash LED Dien Quang 150 W daylight IP65	N/A	97.00	99.91	1pcs/ carton	N/A	N/A	N/A	N/A
7	52024377		ĐQ LEDFL02 100765 WP	Flash LED Dien Quang 100 W daylight IP67 using for fishing boat.	N/A	55.61	57.28	1pcs/ carton	N/A	N/A	N/A	N/A
8	52024294		ĐQ LEDFL06 150765 WP	Flash LED Dien Quang 150 W daylight IP67 using for fishing boat.	N/A	270.27	278.38	1pcs/ carton	N/A	N/A	N/A	N/A
<b>C LIGHTING ACCESSORIES</b>												
<b>I BALLAST</b>												
<b>I.1 ELECTRONIC BALLAST</b>												
1	52126018		ĐQ EBL 136DHP	Electronic Ballast Dien Quang ĐQ EBL 136DHP (domino 36/40W fluorescent lamp)		1.65	1.70	20 pcs/carton	0.205	0.157	0.130	0.004184
2	20122011		ĐQ EBL 136DHP	Electronic 36w (for FPL)		2.74	2.82	20 pcs/carton	0.285	0.206	0.160	0.009394
3	52126003		ĐQ EBL 140ECO	Electronic Ballast Dien Quang ECO 40W fluorescent lamp		1.10	1.13	20 pcs/carton	0.195	0.105	0.170	0.003481
4	52126004		ĐQ EBL 120ECO	Electronic Ballast Dien Quang ECO 20W fluorescent lamp		1.10	1.13	20 pcs/carton	0.195	0.105	0.170	0.003481
5	52126026		ĐQ EBL 120 Eco super thin	Electronic Ballast Dien Quang ECO 20W - Super thin, fluorescent lamp		1.07	1.10	20 pcs/carton	0.195	0.105	0.170	0.003481
6	52126027		ĐQ EBL 140 Eco super thin	Electronic Ballast Dien Quang ECO 40W - Super thin, fluorescent lamp		1.18	1.22	20 pcs/carton	0.195	0.105	0.170	0.003481
7	52126028		ĐQ EBL 236DW	Electronic Ballast Dien Quang Double wing 2x36W		1.83	1.88	N/A	N/A	N/A	N/A	N/A
<b>I.2 MAGNETIC BALLAST</b>												
1	52125006		ĐQMBL1A-06	Magnetic Ballast Dien Quang inovated, 36/40W fluorescent lamp		1.30	1.34	20 pcs/carton	0.207	0.145	0.125	0.003752
2	52125005		ĐQMBL2A-06	Magnetic Ballast Dien Quang inovated, 18/20W fluorescent lamp		1.27	1.31	20 pcs/carton	0.207	0.145	0.125	0.003752
3	52125008		ĐQ MBL 118S	Magnetic Ballast Dien Quang super thin 18W fluorescent lamp		1.21	1.25	20 pcs/carton	0.207	0.145	0.125	0.003752
4	52125009		ĐQ MBL 136S	Magnetic Ballast Dien Quang super thin 36W fluorescent lamp		1.21	1.25	20 pcs/carton	0.207	0.145	0.125	0.003752
<b>II LUMINAIRE</b>												
<b>II.1 DD RORAL LUMINAIRE</b>												
1	62127020		DD-SL120E2	Civil Luminaire DDRoyal (0.6m single super thin using Royal Ballast with 2 holders)		0.58	0.60	20 pcs/ carton	0.630	0.185	0.085	0.009907
2	62127019		DD-SL140E2	Civil Luminaire DDRoyal (1.2m single super thin using Royal Ballast with 2 holders)		0.78	0.80	20 pcs/ carton	1.240	0.185	0.085	0.019499
3	62127021		DD-SL120	Civil Luminaire DDRoyal (0.6m single super thin Magnetic Ballast Royal )		2.12	2.18	12 pcs/ carton	0.620	0.430	0.220	0.058652
4	62127022		DD-SL140	Civil Luminaire DDRoyal (1.2m single super thin Magnetic Ballast Royal )		2.34	2.41	12 pcs/ carton	1.230	0.430	0.220	0.116358
5	62127023		DD-SL 240	Civil Luminaire DDRoyal (1.2m double super thin Magnetic Ballast Royal )		4.03	4.15	12 pcs/ carton	1.230	0.430	0.220	0.116358
<b>II.2 CIVIL LUMINAIRE</b>												
1	62127030		ĐQ SL 120	Civil Luminaire Dien Quang (0.6m single super thin Magnetic Ballast)		2.49	2.56	N/A	N/A	N/A	N/A	N/A
2	62127031		ĐQ SL 140	Civil Luminaire Dien Quang (1.2m single super thin Magnetic Ballast)		2.93	3.02	N/A	N/A	N/A	N/A	N/A
3	62127029		ĐQ SL 240	Civil Luminaire Dien Quang (1.2m double super thin Magnetic Ballast)		4.58	4.72	N/A	N/A	N/A	N/A	N/A
4	62127043		ĐQ SLF 240	Civil Luminaire Dien Quang (1.2m double super thin Magnetic Ballast super thin)		5.24	5.40	2 pcs/ carton	1.242	0.205	0.8	0.203688
5	62127045		ĐQ SLF 140	Civil Luminaire Dien Quang (1.2m single super thin Magnetic Ballast super thin)		3.19	3.29	2 pcs/ carton	1.242	0.205	0.8	0.203688
6	62127044		ĐQ SLF 120	Civil Luminaire Dien Quang (0.6m single super thin Magnetic Ballast super thin)		2.82	2.90	2 pcs/ carton	0.632	0.205	0.8	0.103648
7	62127048		ĐQ SLF 240E	Luminaire 1,2m double super thin ĐQ using Electronic Ballast ECO		4.08	4.20	2 pcs/ carton	1.242	0.205	0.8	0.203688
8	62127047		ĐQ SLF 140E	Luminaire 1,2m single super thin ĐQ using Electronic Ballast ECO		2.53	2.61	2 pcs/ carton	1.242	0.205	0.8	0.203688
9	62127046		ĐQ SLF 120E	Luminaire 0,6m single super thin ĐQ using Electronic Ballast ECO		2.17	2.24	2 pcs/ carton	0.632	0.205	0.8	0.103648
10	62127035		ĐQ FB 240	Civil Luminaire Dien Quang (1.2m double fishbone Magnetic Ballast)		9.32	9.60	2 pcs/ carton	1.355	0.125	0.175	0.029641
11	62127036		ĐQ FB 140	Civil Luminaire Dien Quang (1.2m single fishbone Magnetic Ballast)		6.45	6.64	2 pcs/ carton	1.340	0.105	0.130	0.018291
12	62127037		ĐQ FB 240E	Civil Luminaire Dien Quang (1.2m double fishbone Electronic Ballast)		6.70	6.90	2 pcs/ carton	1.355	0.125	0.175	0.029641
13	62127053		ĐQ MF01 236	Luminaire 1,2m double Mica Magnetic Ballast Dien Quang		9.32	9.60	2 pcs/ carton	1.355	0.125	0.175	0.029641
14	62127049		ĐQ MF01 136	Luminaire 1,2m single Mica Magnetic Ballast Dien Quang		6.45	6.64	2 pcs/ carton	1.340	0.226	0.256	0.077527
15	62127051		ĐQ MF01 118	Luminaire 0.6m Mica single Magnetic Ballast Dien Quang		4.75	4.89	2 pcs/ carton	0.730	0.105	0.130	0.009965
16	62127050		ĐQ MF01 236E	Luminaire 1,2m double Mica Electronic Ballast domino Dien Quang		7.66	7.89	2 pcs/ carton	1.355	0.125	0.175	0.029641
17	62127153		ĐQ MF01 218E	Luminaire 0.6m double Mica Electronic Ballast Dien Quang		5.83	6.00	2 pcs/ carton	0.745	0.125	0.175	0.016297
18	62127151		ĐQ MF01 136E	Luminaire 1,2m single Mica, Electronic Ballast Dien Quang		5.54	5.71	2 pcs/ carton	1.34	0.105	0.13	0.018291
19	62127162		ĐQ MF01 236E	Luminaire 1,2m double Mica, Domino Electronic Ballast Dien Quang		9.29	9.57					
20	62127152		ĐQ MF01 118E	Luminaire 0.6m single Mica Electronic Ballast Dien Quang		3.95	4.07	2 pcs/ carton	0.745	0.105	0.13	0.010169
21	62127059		ĐQ BF 236	Luminaire 1,2m double with vein ĐQ Magnetic Ballast Dien Quang		6.92	7.13	2 pcs/ carton	N/A	N/A	N/A	N/A
22	62127058		ĐQ BF 136	Luminaire 1,2m single with vein Magnetic Ballast Dien Quang		4.82	4.96	2 pcs/ carton	N/A	N/A	N/A	N/A
23	62127057		ĐQ BF 118	Luminaire 0,6m single with vein ĐQ Magnetic Ballast Dien Quang		3.21	3.31	2 pcs/ carton	N/A	N/A	N/A	N/A
24	62127060		Q BF 236E	Luminaire 1,2m double with vein ĐQ Domino Electronic Ballast		5.03	5.18	2 pcs/ carton	N/A	N/A	N/A	N/A
25	62127061		Q BF 136E	Luminaire 1,2m single with vein ĐQ Domino Electronic Ballast		3.41	3.51	2 pcs/ carton	N/A	N/A	N/A	N/A
26	62127062		Q BF 118E	Luminaire 0,6m single with vein ĐQ Domino Electronic Ballast		3.13	3.22	2 pcs/ carton	N/A	N/A	N/A	N/A
27	62127034		ĐQ DS 240	Civil Luminaire Dien Quang (1.2m double with vein Magnetic Ballast)		5.16	5.31	2 pcs/ carton	N/A	N/A	N/A	N/A
28	62127032		ĐQ DS 120	Civil Luminaire Dien Quang (0.6m single with vein Magnetic Ballast)		3.21	3.31	2 pcs/ carton	N/A	N/A	N/A	N/A
29	62127163		ĐQ FB 240E	Luminaire 1,2m double fishbone, Electronic Ballast Dien Quang		9.15	9.42					
<b>II.3 RECESSED LUMINAIRE</b>												
1	62127072		ĐQ RF01 236GAS1	Recessed Luminaire Dien Quang (Aluminium Reflector 1.2m double lines, Magnetic Ballasts)		13.31	13.71	2pcs/ carton	0.640	0.620	0.170	0.067456

No.	Code	Picture	Model	Description	Specification	UNIT PRICE FOB Ho Chi Minh City with Dien Quang Brand (USD)	UNIT PRICE with OEM (USD)	Packing	Carton dimension (m)			CBM
									L	W	H	
2	62127089		DQ RF01 236GASI	Set of Recessed Luminaire Dien Quang (Aluminium Reflector 1.2m double lines, 2 Magnetic Ballasts, 2 starters)		16.33	16.82	2pcs/ carton	0.640	0.620	0.170	0.067456
3	62127074		DQ RF01 336GASI	Recessed Luminaire Dien Quang (Aluminium Reflector 1.2m triple lines, Magnetic Ballast)		20.18	20.79	2pcs/ carton	1.240	0.300	0.170	0.063240
4	62127092		DQ RF01 336GASI	Set of Recessed Luminaire Dien Quang (Aluminium Reflector 1.2m triple lines, 3 Magnetic Ballasts, 3 starters)		25.33	26.09	2pcs/ carton	1.240	0.300	0.170	0.063240
5	62127084		DQ RF01 436GASI	Recessed Luminaire Dien Quang (Aluminium Reflector 1.2m four lines, Magnetic Ballast)		22.47	23.14	2pcs/ carton	1.240	0.630	0.170	0.132804
6	62127094		DQ RF01 436GASI	Set of Recessed Luminaire Dien Quang (Aluminium Reflector 1.2m four lines, 4 Magnetic Ballasts, 4 starters)		29.30	30.18	2pcs/ carton	1.240	0.630	0.170	0.132804
7	62127082		DQ RF01 218GASI	Recessed Luminaire Dien Quang (Aluminium Reflector 0.6m double lines, Magnetic Ballast)		8.43	8.68	2pcs/ carton	0.640	0.300	0.170	0.032640
8	62127095		DQ RF01 218GASI	Set of Recessed Luminaire Dien Quang (Aluminium Reflector 0.6m double lines, 2 Magnetic Ballasts, 2 starters)		11.60	11.95	2pcs/ carton	0.640	0.300	0.170	0.032640
9	62127096		DQ RF01 318GASI	Set of Recessed Luminaire Dien Quang (Aluminium Reflector 0.6m triple lines, 3 Magnetic Ballasts, 3 starters)		17.86	18.40	2pcs/ carton	0.640	0.620	0.170	0.067456
10	62127083		DQ RF01 418GASI	Recessed Luminaire Dien Quang (Aluminium Reflector 0.6m four lines, Magnetic Ballast)		13.86	14.28	2pcs/ carton	1.240	0.630	0.170	0.132804
11	62127099		DQ RF01 418GASI	Set of Recessed Luminaire Dien Quang (Aluminium Reflector 0.6m four lines, 4 Magnetic Ballasts, 4 starters)		20.13	20.73	2pcs/ carton	1.240	0.630	0.170	0.132804
12	62127078		DQ RF03 236OP	Recessed Luminaire Dien Quang (opal diffuser 1.2m double Magnetic Ballast)		11.48	11.82	2pcs/ carton	0.640	0.620	0.170	0.067456
13	62127090		DQ RF03 236OP	Set of Recessed Luminaire Dien Quang (opal diffuser 1.2m double, 2 Magnetic Ballasts, 2 starters)		14.44	14.87	2pcs/ carton	0.640	0.620	0.170	0.067456
14	62127079		DQ RF03 318OP	Recessed Luminaire Dien Quang (opal diffuser 0.6m triple lines, Magnetic Ballast)		11.50	11.85	2pcs/ carton	0.640	0.620	0.170	0.067456
15	62127098		DQ RF03 318OP	Set of Recessed Luminaire Dien Quang (opal diffuser 0.6m triple lines, 3 Magnetic Ballasts, 3 starters)		16.04	16.52	2pcs/ carton	0.640	0.620	0.170	0.067456
16	62127085		DQ RF04 236PR	Recessed Luminaire Dien Quang (prismatic diffuser 1.2m double lines, Magnetic Ballast)		11.48	11.82	2pcs/ carton	0.640	0.620	0.170	0.067456
17	62127091		DQ RF04 236PR	Set of Recessed Luminaire Dien Quang (prismatic diffuser 1.2m double lines, 2 Magnetic Ballasts, 2 starters)		14.48	14.91	2pcs/ carton	0.640	0.620	0.170	0.067456
18	62127081		DQ RF04 336PR	Recessed Luminaire Dien Quang (prismatic diffuser 1.2m triple lines, Magnetic Ballast)		18.56	19.12	2pcs/ carton	1.240	0.300	0.170	0.063240
19	62127093		DQ RF04 336PR	Set of Recessed Luminaire Dien Quang (prismatic diffuser 1.2m triple lines, 3 Magnetic Ballast, 3 starters)		23.18	23.88	2pcs/ carton	1.240	0.300	0.170	0.063240
20	62127097		DQ RF04 318PR	Set of Recessed Luminaire Dien Quang (prismatic diffuser 0.6m triple lines, 3 Magnetic Ballasts, 3 starters)		16.47	16.96	2pcs/ carton	0.640	0.620	0.170	0.067456
21	62127075		DQ RF06 228GASI	Recessed Luminaire Dien Quang (Aluminium Reflector double T5 1.2m)		12.90	13.29	2pcs/ carton	1.210	0.300	0.135	0.049005
22	62127100		DQ RF06 228GASI	Set of Recessed Luminaire Dien Quang (Aluminium Reflector double T5 1.2m, 2 Electronic ballasts Domino)		16.43	16.92	2pcs/ carton	1.210	0.300	0.135	0.049005
23	62127077		DQ RF06 328GASI	Recessed Luminaire Dien Quang (Aluminium Reflector triple T5 1.2m)		19.67	20.26	2pcs/ carton	1.210	0.300	0.135	0.049005
24	62127101		DQ RF06 328GASI	Recessed Luminaire Dien Quang (Aluminium Reflector triple T5 1.2m, 3 Electronic ballasts Domino)		29.22	30.10	2pcs/ carton	1.210	0.300	0.135	0.049005
25	62127088		DQ RF06 428GASI	Recessed Luminaire Dien Quang (Aluminium Reflector T5 1.2m four lines)		21.98	22.64	2pcs/ carton	1.210	0.610	0.135	0.099644
26	62127102		DQ RF06 428GASI	Recessed Luminaire Dien Quang (Aluminium Reflector T5 1.2m four lines, 4 Electronic ballasts Domino)		28.55	29.41	2pcs/ carton	1.210	0.610	0.135	0.099644
27	62127086		DQ RF06 214GASI	Recessed Luminaire Dien Quang (Aluminium Reflector T5 0.6m double lines, Electronic Ballast domino)		7.80	8.03	2pcs/ carton	0.610	0.300	0.135	0.024705
28	62127103		DQ RF06 214GASI	Set of Recessed Luminaire Dien Quang (Aluminium Reflector T5 0.6m double lines, 2 Electronic Ballast domino)		11.75	12.10	2pcs/ carton	0.610	0.300	0.135	0.024705
29	62127076		DQ RF06 314GASI	Recessed Luminaire Dien Quang (Aluminium Reflector T5 0.6m triple lines, Electronic Ballast domino)		12.24	12.61	2pcs/ carton	0.610	0.610	0.135	0.050234
30	62127104		DQ RF06 314GASI	Set of Recessed Luminaire Dien Quang (Aluminium Reflector T5 0.6m triple lines, 3 Electronic Ballast domino)		16.90	17.41	2pcs/ carton	0.610	0.610	0.135	0.050234
31	62127087		DQ RF06 414GASI	Recessed Luminaire Dien Quang (Aluminium Reflector T5 0.6m four lines, Electronic Ballast domino)		13.57	13.98	2pcs/ carton	1.210	0.610	0.135	0.099644
32	62127105		DQ RF06 414GASI	Set of Recessed Luminaire Dien Quang (Aluminium Reflector T5 0.6m four lines, 4 Electronic Ballast domino)		17.77	18.30	2pcs/ carton	1.210	0.610	0.135	0.099644
33	62127165		DQ RF01 309GASI L03	Set of Recessed Luminaire Dien Quang (Aluminium Reflector 0.6 m 3 lines, 3 Led tube plastic body)		12.95	13.34	2pcs/ carton	0.610	0.610	0.135	0.050234
34	62127166		DQ RF01 218GASI L03	Set of Recessed Luminaire Dien Quang (Aluminium Reflector 1.2 m 2 lines, 2 Led tube plastic body)		15.02	15.47	2pcs/ carton	1.210	0.300	0.135	0.049005
35	62127179		DQ RF01 218GASIE	Set of Recessed Luminaire Dien Quang (Aluminium Reflector 0.6m 2 lines, 2 Electronic Ballast)		10.14	10.44	2pcs/ carton	N/A	N/A	N/A	N/A
36	62127203		DQ RF04 309PR L03	Set of Recessed Luminaire Dien Quang (Mica milk Reflector 0.6m, 3 lines, 3 led tube 9W plastic body)		20.57	21.19	2pcs/ carton	N/A	N/A	N/A	N/A
37	62127202		DQ RF03 309OP L03	Set of Recessed Luminaire Dien Quang (Mica sesame Reflector 0.6m, 3 lines, 3 led tube 9W plastic body)		20.75	21.37	2pcs/ carton	N/A	N/A	N/A	N/A
38	62127199		DQ IF01 218SC L03E	Set of Industrial Luminaire Dien Quang (Steel Reflector 1.2 m, 2 lines, 2 led tube 18W plastic body)		14.13	14.55	N/A	N/A	N/A	N/A	N/A
39	62127198		DQ SLF 218E L03E	Set of Civil Luminaire Dien Quang (Super thin Reflector 1.2 m, 2 lines, 2 led tube 18W plastic body)		12.48	12.85	N/A	N/A	N/A	N/A	N/A
40	62127197		DQ RF01 218GASI L03E	Set of recessed luminaire Dien Quang (Aluminium Reflector 1.2m, 2 Led tube plastic body).		23.37	24.07	N/A	N/A	N/A	N/A	N/A
41	62127206		DQ RF01 309GASI L03	Set of recessed Điện Quang (0.6m Aluminium Reflector, 3 led tube 9W plastic body daylight)		21.89	22.55	N/A	N/A	N/A	N/A	N/A
<b>II.4 INDUSTRIAL LUMINAIRE</b>												
1	62127121		DQ IF01 136SC	Industrial Luminaire Dien Quang (electrostatic powder coating steel 1.2m single Magnetic Ballast)		5.33	5.49	20 fixture/carton 20 downlight/carton	1.235	0.250	0.260	0.080275
2	62127122		DQ IF01 236SC	Industrial Luminaire Dien Quang (electrostatic powder coating steel 1.2m double Magnetic Ballast)		6.91	7.12	20 fixture/carton 20 downlight/carton	1.235	0.250	0.260	0.080275
3	62127123		DQ IF01 136GA	Industrial Luminaire Dien Quang (Shiny Aluminium Reflector 1.2m single Magnetic Ballast)		8.20	8.45	20 fixture/carton 20 downlight/carton	1.235	0.250	0.260	0.080275
4	62127124		DQ IF01 236GA	Industrial Luminaire Dien Quang (Shiny Aluminium Reflector 1.2m double Magnetic Ballast)		10.28	10.59	20 fixture/carton 20 downlight/carton	1.235	0.250	0.260	0.080275

No.	Code	Picture	Model	Description	Specification	UNIT PRICE FOB Ho Chi Minh City with Dien Quang Brand (USD)	UNIT PRICE with OEM (USD)	Packing	Carton dimension (m)			CBM
									L	W	H	
5	62127125		ĐQ IF02 128SC	Industrial Luminaire Dien Quang (T5 Shiny Aluminium Reflector 1.2m double Electronic Ballast super thin)		5.06	5.21	30 fixture/carton	1.190	0.210	0.235	0.058727
								30 downlight/carton	1.190	0.155	0.085	0.015678
6	62127126		ĐQ IF02 228SC	Industrial Luminaire Dien Quang (T5 electrostatic powder coating steel 1.2m single Electronic Ballast super thin)		6.42	6.61	30 fixture/carton	1.190	0.210	0.235	0.058727
								30 downlight/carton	1.190	0.155	0.085	0.015678
7	62127127		ĐQ IF02 128GA	Industrial Luminaire Dien Quang (T5 electrostatic powder coating steel 1.2m double Electronic Ballast super thin)		6.60	6.80	30 fixture/carton	1.190	0.210	0.235	0.058727
								30 downlight/carton	1.190	0.155	0.085	0.015678
8	62127128		ĐQ IF02 228GA	Industrial Luminaire Dien Quang (T5 Shiny Aluminium Reflector 1.2m single Electronic Ballast super thin)		8.19	8.44	30 fixture/carton	1.190	0.210	0.235	0.058727
								30 downlight/carton	1.190	0.155	0.085	0.015678
<b>II.5 DUST AND WATER PROOF LUMINAIRE</b>												
1	62127067		ĐQ WP02 136	Anti-wet Luminaire Dien Quang (1.2m single IP65 Electronic Ballast domino)		10.48	10.79	12 pcs/ carton	1.290	0.290	0.325	0.121583
2	62127068		ĐQ WP02 236	Anti-wet Luminaire Dien Quang (1.2m double IP65 Electronic Ballast domino)		14.69	15.13	8 pcs/ carton	1.290	0.310	0.325	0.129968
3	62127071		ĐQ WP02 236	Anti-wet Luminaire Dien Quang (1.2m double IP65 Electronic Ballast Eco)		17.41	17.93	8 pcs/ carton	1.290	0.310	0.325	0.129968
4	62127069		ĐQ WP03 128	Anti-wet Luminaire Dien Quang (T5 1.2m single IP65 Electronic Ballast super thin)		8.63	8.89	12 pcs/ carton	1.235	0.265	0.225	0.073637
5	62127070		ĐQ WP03 228	Anti-wet Luminaire Dien Quang (T5 1.2m double IP65 Electronic Ballast super thin)		10.78	11.10	8 pcs/ carton	1.235	0.300	0.225	0.083363
<b>III DOWNLIGHT</b>												
1	62131003		ĐQ_DL 20V	Recessed Downlight Dien Quang DL 20V (vertical 2\"/>		1.51	1.56	N/A	N/A	N/A	N/A	N/A
2	62131001		ĐQ_DL 30V	Recessed Downlight Dien Quang DL 30V (vertical 3\"/>		1.87	1.93	N/A	N/A	N/A	N/A	N/A
3	62131002		ĐQ_DL 35V	Recessed Downlight Dien Quang DL 35V (vertical 3\"/>		1.92	1.98	N/A	N/A	N/A	N/A	N/A
4	62131004		ĐQ_DL 40V	Recessed Downlight Dien Quang DL 40V (vertical 4\"/>		2.61	2.69	N/A	N/A	N/A	N/A	N/A
5	62131007		ĐQ_DL 50V	Recessed Downlight Dien Quang DL 50V (vertical 5\"/>		3.31	3.41	N/A	N/A	N/A	N/A	N/A
6	62131005		ĐQ_DL 60V	Recessed Downlight Dien Quang DL 60V (vertical 6\"/>		3.56	3.67	N/A	N/A	N/A	N/A	N/A
7	62131008		ĐQ VRD03 90E27	Recessed Downlight Dien Quang (vertical 3\"/>		1.72	1.77	36 pcs/ carton	0.440	0.420	0.495	0.091476
8	62131009		ĐQ VRD03 115E27	Recessed Downlight Dien Quang (vertical 4\"/>		1.94	2.00	36pcs/ carton	0.620	0.465	0.495	0.142709
9	62131010		ĐQ VRD03 140E27	Recessed Downlight Dien Quang (vertical 5\"/>		2.68	2.76	24 pcs/ carton	0.715	0.370	0.575	0.152116
10	62131011		ĐQ VRD03 160E27	Recessed Downlight Dien Quang (vertical 6\"/>		3.12	3.21	16 pcs/ carton	0.815	0.425	0.440	0.152405
14	62131012		ĐQ_DL 40H	Recessed Downlight Dien Quang DL (horizontal 4\"/>		2.74	2.82	N/A	N/A	N/A	N/A	#VALUE!
15	62131014		ĐQ_DL 50H	Recessed Downlight Dien Quang DL (horizontal 5\"/>		3.67	3.78	N/A	N/A	N/A	N/A	#VALUE!
16	62131017		ĐQ_DL 60H	Recessed Downlight Dien Quang DL (horizontal 6\"/>		3.82	3.93	N/A	N/A	N/A	N/A	#VALUE!
17	62131018		ĐQ_DL 80H	Recessed Downlight Dien Quang DL (horizontal 8\"/>		5.92	6.10	N/A	N/A	N/A	N/A	#VALUE!
18	62131013		ĐQ_DL 40H1	Recessed Downlight Dien Quang DL (horizontal 4\"/>		3.51	3.62	N/A	N/A	N/A	N/A	#VALUE!
19	62131015		ĐQ_DL 50H1	Recessed Downlight Dien Quang DL (horizontal 5\"/>		4.23	4.36	N/A	N/A	N/A	N/A	#VALUE!
20	62131016		ĐQ_DL 60H1	Recessed Downlight Dien Quang DL (horizontal 6\"/>		4.79	4.93	N/A	N/A	N/A	N/A	#VALUE!
21	62131019		ĐQ HRD02G 140E27	Recessed Downlight Dien Quang (horizontal 5\"/>		3.27	3.37	16 pcs/ carton	0.740	0.320	0.440	0.104192
22	62131020		ĐQ HRD02G 140E27	Recessed Downlight Dien Quang (horizontal 5\"/>		4.04	4.16	16 pcs/ carton	0.740	0.320	0.440	0.104192
23	62131021		ĐQ HRD02G 160E27	Recessed Downlight Dien Quang (horizontal 6\"/>		4.02	4.14	16 pcs/ carton	0.820	0.330	0.455	0.123123
24	62131022		ĐQ HRD02G 160E27	Recessed Downlight Dien Quang (horizontal 6\"/>		5.75	5.92	16 pcs/ carton	0.815	0.425	0.440	0.152405
25	62131032		ĐQ HRD01 195E27	Recessed Downlight Dien Quang (horizontal 8\"/>		3.63	3.74	16 pcs/ carton	N/A	N/A	N/A	#VALUE!
26	62034001		ĐQ SCL01 212190P	Led Chandelier Dien Quang (circular and flat, opal diffuser, 21W, D 219 mm)		5.11	5.26	N/A	N/A	N/A	N/A	#VALUE!
27	62034002		ĐQ SCL01 22255SC	Led Chandelier Dien Quang (spherical, stripped pattern, power 22w, diameter 255 mm)		5.53	5.70	N/A	N/A	N/A	N/A	#VALUE!
28	62034003		ĐQ SCL01 32345RC	Led Chandelier Dien Quang (spherical, wavy pattern, power 32w, diameter 345 mm)		6.79	6.99	N/A	N/A	N/A	N/A	#VALUE!
<b>E HOUSEHOLD APPLIANCES</b>												
<b>I DESK LAMP</b>												
1	62236035		ĐQ LDL02 5W	Desk Lamp LED Dien Quang ĐQ LDL02 5W		22.15	22.81	6 pcs/ carton	0.490	0.230	0.325	0.036628
2	62236036		ĐQ LDL02 5B	Desk Lamp LED Dien Quang ĐQ LDL02 5B		21.94	22.60	6 pcs/ carton	0.490	0.230	0.325	0.036628
3	62236033		ĐQ LDL01 6W	Desk Lamp LED Dien Quang ĐQ LDL01 6W		24.40	25.13	6 pcs/ carton	0.490	0.230	0.325	0.036628
4	62236034		ĐQ LDL01 6B	Desk Lamp LED Dien Quang ĐQ LDL01 6B		24.40	25.13	6 pcs/ carton	0.490	0.230	0.325	0.036628
5	62236060		ĐQ LDL04 4W	Desk Lamp LED Dien Quang (4W, touch switch, white color)		12.56	12.94	6 pcs/ carton	0.376	0.378	0.235	0.033400
6	62236061		ĐQ LDL04	Desk Lamp LED Dien Quang (3W, touch switch, white color)		10.93	11.26	6 pcs/ carton	0.363	0.178	0.780	0.050399
7			ĐQ LDL05	Desk Lamp LED Dien Quang (3W, touch switch, white color)		N/A	#VALUE!	6 pcs/ carton	0.303	0.154	0.120	0.005599
8	62236010		ĐQ DKL01 CW	Desk Lamp Dien Quang football shape, green white, without bulb		3.40	3.50	6 pcs/ carton	0.415	0.414	0.255	0.043812
9	62236011		ĐQ DKL01 RY	Desk Lamp Dien Quang football shape, red yellow, without bulb		3.40	3.50	6 pcs/ carton	0.415	0.414	0.255	0.043812
10	62236012		ĐQ DKL01 Y	Desk Lamp Dien Quang football shape, yellow, without bulb		3.40	3.50	6 pcs/ carton	0.415	0.414	0.255	0.043812
11	62236013		ĐQ DKL01 RW	Desk Lamp Dien Quang football shape, red white, without bulb		3.40	3.50	6 pcs/ carton	0.415	0.414	0.255	0.043812
12	62236008		ĐQ DKL01 OW	Desk Lamp Dien Quang football shape, cam white, without bulb		3.40	3.50	6 pcs/ carton	0.415	0.414	0.255	0.043812
13	62236009		ĐQ DKL01 RBW	Desk Lamp Dien Quang football shape, red white, without bulb		3.40	3.50	6 pcs/ carton	0.415	0.414	0.255	0.043812
14	62236014		ĐQ DKL02	Desk Lamp Dien Quang inox reflector, red white, without bulb		7.79	8.02	6 pcs/ carton	0.590	0.400	0.510	0.120360
15	62236015		ĐQ DKL03	Desk Lamp Dien Quang steel reflector, red black, without bulb		2.91	3.00	6 pcs/ carton	0.715	0.335	0.415	0.099403
16	62236016		ĐQ DKL04	Desk Lamp Dien Quang kid shape, yellow white, without bulb		3.62	3.73	6 pcs/ carton	0.487	0.451	0.242	0.053152
17	62236017		ĐQ DKL05	Desk Lamp Dien Quang car shape, yellow black, without bulb		3.65	3.76	6 pcs/ carton	0.487	0.451	0.242	0.053152

No.	Code	Picture	Model	Description	Specification	UNIT PRICE FOB Ho Chi Minh City with Dien Quang Brand (USD)	UNIT PRICE with OEM (USD)	Packing	Carton dimension (m)			CBM
									L	W	H	
18	62236018		ĐQ DKL06	Desk Lamp Dien Quang dog shape, pink, without bulb		3.49	3.59	6 pcs/ carton	0.487	0.451	0.242	0.053152
19	62236024		ĐQ DKL01 CW B	Desk Lamp Dien Quang (football shape, green white, with bulbs)		4.22	4.35	6 pcs/ carton	0.415	0.414	0.255	0.043812
20	62236025		ĐQ DKL01 RY B	Desk Lamp Dien Quang (football shape, red yellow, with bulbs)		4.22	4.35	6 pcs/ carton	0.415	0.414	0.255	0.043812
21	62236026		ĐQ DKL01 Y B	Desk Lamp Dien Quang (football shape, yellow, with bulbs)		4.22	4.35	6 pcs/ carton	0.415	0.414	0.255	0.043812
22	62236027		ĐQ DKL01 RW B	Desk Lamp Dien Quang (football shape, red white, with bulbs)		4.22	4.35	6 pcs/ carton	0.415	0.414	0.255	0.043812
23	62236022		ĐQ DKL01 OW B	Desk Lamp Dien Quang (football shape, cam white, with bulbs)		4.22	4.35	6 pcs/ carton	0.415	0.414	0.255	0.043812
24	62236023		ĐQ DKL01 RBW B	Desk Lamp Dien Quang (football shape, red đậm white, with bulbs)		4.22	4.35	6 pcs/ carton	0.415	0.414	0.255	0.043812
25	62236028		ĐQ DKL02 B	Desk Lamp Dien Quang (inox reflector, red white, with bulbs)		7.79	8.02	6 pcs/ carton	0.590	0.400	0.510	0.120360
26	62236029		ĐQ DKL03 B	Desk Lamp Dien Quang (steel reflector, red black, with bulbs)		3.73	3.84	6 pcs/ carton	0.715	0.335	0.415	0.099403
27	62236030		ĐQ DKL04 B	Desk Lamp Dien Quang (kid shape, yellow white, with bulbs)		4.45	4.58	6 pcs/ carton	0.700	0.450	0.455	0.143325
28	62236031		ĐQ DKL05 B	Desk Lamp Dien Quang (car shape, yellow black, with bulbs)		4.47	4.60	6 pcs/ carton	0.590	0.475	0.475	0.133119
29	62236032		ĐQ DKL06 B	Desk Lamp Dien Quang (dog shape, pink, with bulbs)		4.33	4.46	6 pcs/ carton	0.665	0.415	0.455	0.125569
30	62236039		DQ DKL08 GW	Desk lamp plastic cover, green-white, no bulb		3.57	3.68	6pcs/carton	0.550	0.370	0.250	0.050875
31	62236040		DQ DKL08 BW	Desk lamp plastic cover, blue sky-white, no bulb		3.57	3.68	6pcs/carton	0.550	0.370	0.250	0.050875
32	62236041		DQ DKL08 GW	Desk lamp plastic cover, green-white, no bulb		3.57	3.68	6pcs/carton	0.550	0.370	0.250	0.050875
33	62236046		DQ DKL08 GW	Desk lamp plastic cover, green-white, with led bulb		4.39	4.52	6pcs/carton	0.550	0.370	0.250	0.050875
34	62236047		DQ DKL08 BW	Desk lamp plastic cover, blue sky-white, with led bulb		4.39	4.52	6pcs/carton	0.550	0.370	0.250	0.050875
35	62236048	DQ DKL08 GW	Desk lamp plastic cover, green-white, with led bulb		4.39	4.52	6pcs/carton	0.550	0.370	0.250	0.050875	
36	62236056		DQ LDL07 10W	Desk led lamp DQ LDL07 10W		17.90	18.44	6pcs/carton	0.478	0.408	0.260	0.050706
37	62236057		DQ LDL08 10W	Desk led lamp DQ LDL08 10W		16.33	16.82	6pcs/carton	0.570	0.365	0.387	0.080515
38	62236058		ĐQ LDL06 5W	Desk led lamp DQ LDL06 5W		15.74	16.21	6pcs/carton	0.506	0.432	0.290	0.063392
<b>II RECHARGEABLE LAMP</b>												
1	62299006		PRL01 02765	Rechargeble LED Lamp 2W daylight		7.74	7.97	12 pcs/ carton	0.516	0.387	0.242	0.048325
2	62299007		PRL02 04765	Rechargeble LED Lamp 4W daylight		15.34	15.80	6 pcs/ carton	0.567	0.382	0.325	0.070393
3	62299040		ĐQ PRL06	Rechargeble LED Lamp 2W daylight		8.04	8.28	6 pcs/ carton	N/A	N/A	N/A	N/A
4	62299036		ĐQ PRL04 R	Rechargeble LED Lamp 0.5W, daylight Red color		3.59	3.70	6 pcs/ carton	N/A	N/A	N/A	N/A
5	62299037		ĐQ PRL04 B	Rechargeble LED Lamp 0.5W, daylight Blue color		3.59	3.70	6 pcs/ carton	N/A	N/A	N/A	N/A
6	62299038		ĐQ PRL05 G	Rechargeble LED Lamp 1 W, daylight green color		4.94	5.09	6 pcs/ carton	N/A	N/A	N/A	N/A
7	62299039		ĐQ PRL05 O	Rechargeble LED Lamp 1 W, daylight orange color		4.94	5.09	6 pcs/ carton	N/A	N/A	N/A	N/A
8	62246001		ĐQ PFL02 R R	Rechargeble LED flashlight - red color		2.65	2.73	20 pcs/ carton	N/A	N/A	N/A	N/A
9	62246002		ĐQ PFL02 R B	Rechargeble LED flashlight - Blue color		2.65	2.73	20 pcs/ carton	N/A	N/A	N/A	N/A
10	62246003		ĐQ PFL03 R R	Rechargeble LED flashlight - red color		2.36	2.43	20 pcs/ carton	N/A	N/A	N/A	N/A
11	62246004		ĐQ PFL03 R B	Rechargeble LED flashlight - Blue color		2.36	2.43	20 pcs/ carton	N/A	N/A	N/A	N/A